

## SELOC ON-LINE SUBSCRIPTIONS

3 year subscription. The CD allows customers to log-in online for their motor for three years. They will have to come back to you to renew their subscription or buy a book! Seloc Online covers in excess of 1,000 engine models from the mid 70's thru 2001. Resellers, increase your gross margin per SKU by stocking Seloc OnLine. Point of Purchase display holds six CD's and occupies less than 30 sq inches of counter space. The CD can also be displayed on a J hook in your parts and accessories section.

SEL5000	3-YEAR ONLINE SUBSCRIPTION.....	\$ 36.95
SEL5002F	POP PACK OF 6 CD'S.....	\$ 233.70

## SELOC JOHNSON/EVINRUDE OUTBOARD 1300 REPAIR MANUAL

Covers all 1.5 HP through 40 HP models, 1956 through 1970. Over 430 pages, 1,282 illustrations.

SEL1300	J/E 1.....	\$ 36.95
---------	------------	----------

## SELOC JOHNSON/EVINRUDE OUTBOARD 1302 REPAIR MANUAL

Covers all 2.0 HP through 60 HP models, 1971 through 1989. Over 600 pages, 1,720 illustrations.

SEL1302	J/E 2.....	\$ 36.95
---------	------------	----------

## SELOC JOHNSON/EVINRUDE 1306 REPAIR MANUAL

Covers all 3 cylinder and V4 engines 50 HP through 125 HP, 1958 through 1972. Over 530 pages, 1,508 illustrations.

SEL1306	J/E 3.....	\$ 36.95
---------	------------	----------

## SELOC JOHNSON/EVINRUDE 1308 REPAIR MANUAL

Covers all 3 cylinder, V4, and V6 engines, 60 HP through 235 HP models, 1973 through 1991. Over 392 pages, 1,015 illustrations.

SEL1308	J/E 4.....	\$ 36.95
---------	------------	----------

## SELOC JOHNSON/EVINRUDE 1311 REPAIR MANUAL

Covers all 65-300 Hp, V4, V6, and V8 engines 1992 through 2001. Includes Jet Drives

SEL1311	J/E 5.....	\$ 36.95
---------	------------	----------

## SELOC JOHNSON/EVINRUDE 1312 REPAIR MANUAL





Covers all 2-250 HP 1-3 cylinder, V4 and V6, 2-stroke models; includes fuel injection and jet drives.

SEL1312	J/E 6 1990-2001.....	\$ 36.95
---------	----------------------	----------

## SELOC EVINRUDE OUTBOARDS 1313 REPAIR MANUAL

Covers all 40-250 Hp All 2-stroke Fuel Injected Models.

SEL1313	EVINRUDE 2002-06 ALL 2 STROKE.....	\$ 36.95
---------	------------------------------------	----------





## SELOC JOHNSON OUTBOARDS 1314 REPAIR MANUAL

Covers all 2.5 - 250 HP 2-Stroke and 4-Stroke engines.

SEL1314            JOHNSON 2002-2007 .....\$    36.95



## SELOC SUZUKI 4 STROKE OUTBOARD 1602 REPAIR MANUAL

Covers all Suzuki 4 stroke Outboards 1996 thru 2007

SEL1602            SUZUKI REPAIR MANUAL .....\$    36.95



## SELOC OMC STERN DRIVE REPAIR MANUAL

Covers all models 1964 through 1986. Over 580 pages, 1,400 illustrations.

SEL3400            OMC .....\$    36.95



## SELOC OMC COBRA STERN DRIVE

Covers all Cobra, King Cobra and Cobra "SX" stern drive units powered by Ford and GM 4-cylinder, V6 and V8 engines. Includes carbureted and fuel injected engines.

SEL3404            COBRA ALL MODELS 1986-1998 .....\$    36.95



## SELOC VOLVO PENTA STERN DRIVE 3600 REPAIR MANUAL

Covers all models including single prop and duo prop 1968 through 1991. Volvo in-line, OHC, and DOHC engines, also U. S. V6 and V8 engines. Over 535 pages, 1,380 illustrations.

SEL3600            VOLVO .....\$    36.95



## SELOC VOLVO PENTA STERN DRIVE MANUAL

Covers all volvo penta stern drives.

SEL3606            1992-2002 .....\$    36.95

SEL3608            2003-2007 .....\$    36.95



## SELOC MERCURY OUTBOARD 1404 REPAIR MANUAL

Covers all 1 and 2 cylinder models, 1965 through 1989. Over 528 pages, 1,390 illustrations.


SEL1404            MERC 1 .....\$    36.95



## SELOC MERCURY OUTBOARD 1406 REPAIR MANUAL

Covers all 3 and 4 cylinder models, 1965 through 1989. Over 575 pages, 1,729 illustrations.

SEL1406            MERC 2 .....\$    36.95



## SELOC MERCURY OUTBOARD 1408 REPAIR MANUAL


Covers all models 1965 through 1989, 6 in-line, V6, V6 with EFI, and the MR drive. Over 640 pages, 1,630 illustrations.

SEL1408            MERC 3 .....\$    36.95

## SELOC MARINER OUTBOARD 1400 REPAIR MANUAL

Covers all 1 and 2 cylinder models 1977 through 1989. Over 456 pages, 1,187 illustrations.

SEL1400 MAR 1 .....\$ 36.95



## SELOC MARINER OUTBOARD 1402 REPAIR MANUAL

Covers all 3 and 4 cylinder in-line, V6 and V6 with EFI models 1977 through 1989. Over 616 pages, 1,521 illustrations.

SEL1402 MAR 2 .....\$ 36.95



## SELOC MERCURY/MARINER OUTBOARD 1416 REPAIR MANUAL

Covers all Mercury/Mariner Outboards 1999 thru 2000.

SEL1416 M/M 4 .....\$ 36.95



## SELOC MERCURY/MARINER ALL 2 STROKE OUTBOARDS 1418 REPAIR MANUAL

Covers all Mercury and Mariner 2 stroke outboards from 2001-2005.

SEL1418 MERCURY/MARINER 2 STROKE 2001/2009....\$ 36.95



## SELOC HONDA 4 STROKE OUTBOARDS 1200 REPAIR MANUAL

Covers all Honda 4 stroke outboards. 1978 - 2001.

SEL1200 HONDA 4 STROKE MANUAL .....\$ 36.95



## SELOC MARINE NISSAN / TOHATSU OUTBOARD 1500 MANUAL

1992-2008. Covers all 2.5 - 140HP 2 & 4 stroke models, Including EFI & TLDI.

SEL1500 NISSAN/TOHATSU .....\$ 36.95



## SELOC HONDA OUTBOARD MANUAL 1202

2002-2008 Honda Outboards 2002-08 Covers all 2 - 225 Hp, 1 to 4-cylinder & V6, 4-stroke models.

SEL1202 HONDA REPAIR MANUAL .....\$ 36.95



## SELOC SUZUKI OUTBOARD 1600 REPAIR MANUAL

Covers all Suzuki 2 stroke Outboards 1988 thru 2003.

SEL1600 SUZUKI REPAIR MANUAL .....\$ 36.95



## SELOC YAMAHA OUTBOARD 1700 REPAIR MANUAL

Covers all 1 and 2 cylinder models 1984 through 1987 - Valid through 1991, including the 4-stroke powerhead except 3G and 25G. Over 380 pages, 1,040 illustrations.

SEL1700 YAM1 .....\$ 36.95 \*





## SELOC YAMAHA OUTBOARD REPAIR MANUAL

Covers all 2 -250 hp 1-4 Cylinder, V4 and V6 Models 2 and 4 Stroke Models, including Jet Drives. Only Seloc manuals include Skill level Ratings (1 - 4 wrenches) based upon the degree of difficulty along with Special Tool icons where a OEM or electronic testing tool is required to perform the specified procedure.

SEL1701	YAMAHA O/B 2&4 STROKE MODELS 84-96	\$ 36.95
SEL1703	YAMAHA O/B 2 STROKE 97-09	\$ 36.95
SEL1705	YAMAHA O/B 4 STROKE 95-04	\$ 36.95



## SELOC YAMAHA OUTBOARD 1702 REPAIR MANUAL

Covers all 3 cylinder models 1984 through 1988 - Valid through 1991. Over 368 pages, 900 illustrations.


SEL1702	YAM2	\$ 36.95 *
---------	------	------------



## SELOC YAMAHA OUTBOARD 1704 REPAIR MANUAL

Covers all V4 and V6 models 1984 through 1988 - Valid through 1991 except 250 HP. Over 352 pages, 750 illustrations.

SEL1704	YAM3	\$ 36.95 *
---------	------	------------



## SELOC MERCUISER STERN DRIVE 3200 REPAIR MANUAL

Covers all models 1964 through 1991, including Alpha/MR, and Bravo units. Over 600 pages, 1,440 illustrations.


SEL3200	M/C	\$ 36.95
---------	-----	----------



## SELOC MERCUISER STERN DRIVE 3206 REPAIR MANUAL

Covers all Alpha, Bravo I, II & III engines and drive units; includes carbureted and fuel injected engines. 1992-2000

SEL3206	M/C 4	\$ 36.95
---------	-------	----------



## SELOC MERCUISER STERN DRIVE 3208 REPAIR MANUAL

Covers all engines and drive units, including transmissions. Includes carbureted and fuel injected engines.


SEL3208	M/C 2001-2006	\$ 36.95
---------	---------------	----------



## SELOC CHRYSLER OUTBOARD 1000 REPAIR MANUAL

Covers all models 1962 through 1984. Over 550 pages, 1,263 illustrations.

SEL1000	CHRYSLER	\$ 36.95
---------	----------	----------



## SELOC FORCE OUTBOARD 1100 REPAIR MANUAL

Covers all models 1984 through 1999. Over 544 pages, 1,286 illustrations.

SEL1100	FORCE	\$ 36.95
---------	-------	----------

## SELOC YANMAR 7400 REPAIR MANUAL

Covers all QM, GM/HM, JH and JH2 models.

SEL7400            YAN .....\$ 36.95



## SELOC PERSONAL WATERCRAFT 9200 REPAIR MANUAL

Covers all Kawasaki models through 1973 - 1991. 300 - 650 series. Over 300 pages, 600 illustrations.

SEL9200            PW1 .....\$ 36.95



## SELOC PERSONAL WATERCRAFT 9202 REPAIR MANUAL

Covers all Kawasaki models 1992 through 1997. 550 - 1100 series. Over 335 pages, 710 illustrations.

SEL9202            PW1A .....\$ 36.95



## SELOC PERSONAL WATERCRAFT 9000 REPAIR MANUAL

Covers all Bombardier Sea-Doo models through 1998 - 1991. Over 260 pages, 575 illustrations.

SEL9000            PW2 .....\$ 36.95



## SELOC PERSONAL WATERCRAFT 9002 REPAIR MANUAL

Covers all Bombardier Sea-Doo models 1992 through 1997. Over 310 pages, 685 illustrations.

SEL9002            PW2A .....\$ 36.95



## SELOC PERSONAL WATERCRAFT 9600 REPAIR MANUAL

Covers all Yamaha, Jet-N-Craft, and other craft powered with Cuyuna engine 1987 - 1991. Over 300 pages, 650 illustrations.

SEL9600            PW3 .....\$ 36.95



## SELOC PERSONAL WATERCRAFT 9602 REPAIR MANUAL

Covers all Yamaha models 1992 through 1997. Over 224 pages, 480 illustrations.

SEL9602            PW3A .....\$ 36.95



## SELOC PERSONAL WATERCRAFT 9400 REPAIR MANUAL

Covers all Polaris models 1992 through 1997. 650 - 1050 series. Over 300 pages, 650 illustrations.

SEL9400            PW4 .....\$ 36.95





## SELOC LABOR GUIDES

Thousands of operations with freshwater and saltwater times developed from actual teardowns and time studies. All service operations are easily accessible by engine size, by year, by system. Each Labor guide comes with an introductory section on how to better manage and increase profit in your service operation.

SEL4500	JOHNSON/EVINRUDE 1980-2000 .....	\$ 88.50
SEL4600	MERCURY OUTBOARD 80-2000 .....	\$ 88.50
SEL4550	YAMAHA 1980-2000 .....	\$ 88.50

## CLYMER MERCURY/MARINER REPAIR MANUALS

CLM-B712	MERC/MARINER 4 STROKE O/B 75-225HP....	\$ 34.95
CLM-B714	MARINER '76-89 2-220 HP .....	\$ 34.95
CLM-B719	MERCURY '64-71 3.9-135 HP .....	\$ 34.95
CLM-B721	MERCURY '72-89 3.5-40 HP .....	\$ 34.95
CLM-B726	MERCURY '72-89 45-225 HP .....	\$ 34.95
CLM-B715	MARINER 1990-93 2.5-275HP O/B .....	\$ 34.95
CLM-B722	MERCURY '90-93 3-275 HP .....	\$ 34.95
CLM-B723	MERC/MAR '94-'97 2.5-60HP O/B .....	\$ 34.95
CLM-B724	MERC/MAR '94-97 75-275HP & JET .....	\$ 34.95
CLM-B710	MERC/MAR '95-2000 4-90 HP 4 STROKE....	\$ 34.95
CLM-B725	MERC/MAR '98-02 2.5 - 60 HP .....	\$ 34.95
CLM-B727	MERC/MAR '98-02 75-250 HP .....	\$ 34.95

CLYMER



CLYMER



CLYMER



CLYMER



CLYMER



CLYMER



## CLYMER CHRYSLER O/B REPAIR MANUALS

CLM-B750	CHRYSLER '66-84 3.5-140HP OB .....	\$ 34.95
----------	------------------------------------	----------

## CLYMER OMC/OMC COBRA REPAIR MANUALS

CLM-B730	OMC 1964-1986 STERN DRIVES .....	\$ 34.95
CLM-B738	OMC COBRA 1986-1993 STERN DRIVES .....	\$ 34.95
CLM-B739	OMC STERN DRIVES 1994-2000 .....	\$ 34.95

## CLYMER MERCUISER REPAIR MANUALS

CLM-B740	MERCUISER '64-85 STERN DRIVES .....	\$ 34.95
CLM-B744	MERC '95-97 A1,B1,B2,B3 .....	\$ 34.95
CLM-B742	MERC '86-94 A1,B1,B2,B3 .....	\$ 34.95
CLM-B745-2	MERCUISER '98-2001 A1,B1, B2, B3....	\$ 34.95

## CLYMER EVINRUDE/JOHNSON REPAIR MANUALS

CLM-B732	EVINRUDE/JOHNSON '73-90 2-40 HP .....	\$ 34.95
CLM-B733	EVINRUDE/JOHNSON '91-94 2-300 HP .....	\$ 34.95
CLM-B734	EVINRUDE/JOHNSON '56-72 1.5-125 HP....	\$ 34.95
CLM-B735	EVINRUDE/JOHNSON '95-98 2-70 HP .....	\$ 34.95
CLM-B735-2	EVINRUDE/JOHNSON '95-04 2-70 HP .....	\$ 34.95
CLM-B736	EVINRUDE/JOHNSON '73-90 48-235 HP .....	\$ 34.95
CLM-B737-2	EVINRUDE/JOHNSON '95-98 85-300 HP .....	\$ 34.95
CLM-B753	E/J 4 STROKE 5-70HP O/B 95-2001 .....	\$ 34.95

## CLYMER YAMAHA O/B REPAIR MANUAL

CLM-B783	YAMAHA '84-89 2 STROKE 2-225 HP .....	\$ 34.95
CLM-B784	YAMAHA 1990-95 2-250HP O/B .....	\$ 34.95
CLM-B785	YAMAHA 1996-98 2-250HP O/B .....	\$ 34.95
CLM-B786	YAMAHA 2-STROKE 2-90HP O/B .....	\$ 34.95
CLM-B787	YAMAHA 1989-1991 STERN DRIVES .....	\$ 34.95
CLM-B788	1985-1999 4 STROKE O/B 9.9-100 HP .....	\$ 34.95
CLM-B789	YAMAHA 2-STROKE 115-250HP O/B .....	\$ 34.95
CLM-B791	2000-03 4 STROKE O/B 75-225 HP .....	\$ 34.95

## CLYMER FORCE REPAIR MANUAL

CLM-B751-4      FORCE 1984-'99 4-150HP O/B.....\$ 34.95

## CLYMER HONDA REPAIR MANUAL

CLM-B757-2      HONDA 1976-2005 4 STROKE O/B.....\$ 34.95

## CLYMER VOLVO REPAIR MANUALS

CLM-B770      VOLVO 1968-'93 STERN DRIVES.....\$ 34.95

CLM-B771-2      VOLVO 1994-2000 STERN DRIVES.....\$ 34.95

CLM-B775      VOLVO 2001-2004 STERN DRIVES.....\$ 34.95

## CLYMER SUZUKI REPAIR MANUALS

CLM-B778      SUZUKI 1992-1999 2-65HP OUTBOARDS.....\$ 34.95

CLM-B779      SUZUKI 1992-'99 75-225HP O/B.....\$ 34.95

CLM-B781      SUZUKI 1985-'91 2-225HP O/B.....\$ 34.95

CLM-B782      SUZUKI '97-2000 4 STROKE O/B'S.....\$ 34.95

## CLYMER NISSAN REPAIR MANUAL

CLM-B790      TOHATSU 1990-2000 2.5-140HP O/B.....\$ 34.95

CLM-B793      NISSAN 1990-2000 2.5-140HP O/B.....\$ 34.95

## HARDLINE PRODUCTS FLUID RX™

Fluid Rx™ Instant Oil Analysis. Detect sludge instantly, with just one drop! Instant Oil Analysis for Gas or Diesel Engines 2/4 stroke. Instant Fluid Diagnostics technology to accurately determine when a fluid needs to be changed. For just pennies per test, allows you to see total sludge content and determine when a fluid has reached its functional limits. Get instant, on-the-spot results with no tools or special knowledge needed. Tests Engine Oil, Power Steering Fluid, Drive Lubricant, Trim Tab Oil, Primary Oil & Transmission Fluid. Quick & Easy report on Sludge, Water, Carbon, Fuel & Glycol contamination. Easy Instructions get you exact results with causes & corrections. Great for Maintenance schedules. Test used vehicles and vessels before purchasing.

HRD70240      100 TEST PACK.....\$ 64.95

## LIQUIDYNAMICS WASTE OIL EXTRACTORS

No moving parts, designed to give years of trouble free operation. Comes complete, all probes and adapters are supplied, nothing else to buy. Probe storage well, provides a convenient way to store your probes and keep them handy. Easy to read vacuum gauge, lets you quickly check on the status of your vacuum charge. No electrical connections are required, allows safe and convenient transfer of fluids. Liquid level sight gauge, allows easy visual checking of liquid level in tank. Rugged steel construction, heavy gauge steel is used for durability and long term reliability. Powder coat finish ensures many years of protection and excellent appearance. Two year warranty, high quality materials and construction ensure many years of satisfied use. Practical and cost effective, reduces clean up time, eliminates exposure to used oils, does away with spillage and contamination problems. Use it on motor oils, transmission fluids, power steering fluids, engine coolant, etc.

LQD24224T      6 GAL. EXTRACTOR W/PROBES.....\$ 468.00 D

LQD24270      21 GAL. EXTRACTOR W/PROBES.....\$ 683.00 D

LQD900199      MASTERCRAFT MARINE ADAPTER.....\$ 12.95 D

LQD900235      MARINE OUTBOARD ADAPTER.....\$ 12.95 D

LQD900210      OMC ADAPTER KIT.....\$ 12.95 D

LQD900224      6' SUCTION HOSE KIT.....\$ 16.50 D

LQD900225      12' SUCTION HOSE KIT.....\$ 41.95 D

LQD-H047      O RING KIT.....\$ 2.95 D



CLYMER

CLYMER




CLYMER



CLYMER



CLYMER



## LUBRIMATIC POWER PRO SYNTHETIC GEAR LUBE

New synthetic gear lube protects high performance marine engines against extreme operating conditions.

LBR11563	10 OZ. TUBE .....	\$ 7.79
LBR11564	QUART BOTTLE .....	\$ 10.99
LBR11565	5 GALLON DRUM .....	\$ 217.00

LubriMatic



## LUBRIMATIC HI-VISCOSITY LOWER UNIT GEAR LUBE

Ideal for modern outboard and stern drive units. Developed specifically for high horsepower motors subject to heavy usage.

LBR11540	10 OZ. TUBE .....	\$ 6.19
LBR11552	QUART BOTTLE .....	\$ 10.19
LBR11246	QUART BOTTLE KIT COMES WITH PUMP .....	\$ 31.49
LBR11546	5 GALLON BUCKET .....	\$ 183.99
LBR11101	2 10 OZ. TUBES KIT .....	\$ 35.49

LubriMatic



## LUBRIMATIC TYPE "C" GEAR LUBE

For outboards and stern drive units with electric shift mechanisms and other type "C" applications.

LBR11542	10 OZ. TUBE .....	\$ 6.19
LBR11554	QUART BOTTLE .....	\$ 7.49 *
LBR11548	5 GALLON BUCKET .....	\$ 129.95

LubriMatic



## LUBRIMATIC HYPOID 90 GEAR LUBE

For mechanical shift outboards and stern drives.

LBR11544	10 OZ. TUBE .....	\$ 6.19
LBR11556	QUART BOTTLE .....	\$ 10.19
LBR11550	5 GALLON BUCKET .....	\$ 183.99

LubriMatic



## SIERRA HI-PERFORMANCE SYNTHETIC BLEND LOWER UNIT GEAR LUBE

Recommended for use in hi-performance and high load operating conditions in both outboard and I/O lower unit gear cases where a GL-5 class lubricant is required. Sierra Hi-Performance gear lube has been designed to surpass the performance of the O.E. Hi-Performance gear lubricants. For the finest product available, demand Sierra Hi-Performance gear lube.

SIE18-9650-0	10 OZ. TUBE .....	\$ 8.59
SIE18-9650-2	QUART BOTTLE .....	\$ 13.69
SIE18-9650-5	5 GALLON BUCKET .....	\$ 175.59

Sierra



## MALLORY HIGH PERFORMANCE SYNTHETIC BLEND GEAR LUBRICANT

The perfect balance of synthetic and petroleum base stocks plus a special marine additive package delivers superior lubricity and corrosion protection in high performance and high load conditions, resist thermal breakdown better than petroleum based products. Synthetic Blend delivers superior protection in high performance and heavy load applications and extends service life in normal applications. Superior lubricity, film strength, and resistance to thermal breakdown compared to petroleum based gear lubricants.

Recommended for all outboards & stern drive gearcases requiring a marine GL-5 lubricant (except OMC/Johnson/Evinrude electric shift models, for these units use Mallory Marine "Type C" gear lubricant). Exceeds all OEM specifications. Will not void engine manufacturers warranty! Replaces: Mercury Hi-Performance Blend, Johnson/Evinrude Ultra-HPF Blend, Honda, Suzuki, Nissan/Tohatsu, Yamaha -Yamalube LUB-GEARL-11-00, Volvo Penta.

MLY9-82501	HIGH PERFORMANCE QUART .....	\$ 11.25
MLY9-82502	HIGH PERFORMANCE 5 GALLON .....	\$ 160.95



## SIERRA SYNTHETIC VOLVO GEAR LUBE

Replaces Volvo synthetic gear lube.

SIE18-9680-2	VOLVO #1141679 QUART .....	\$ 15.59
SIE18-9680-5	VOLVO #1141681 5-GALLON BUCKET .....	\$ 197.49 H



## SIERRA PREMIUM LOWER UNIT GEAR LUBE

Recommended for all general marine applications requiring a GL-4 class lubricant. Ideal for replacing all old hypoid 90 application needs. Formulated for use in freshwater or salt-water conditions and all standard marine applications. Reduces friction and protects gears, bearings, and other gearcase components.

SIE18-9600-0	10 OZ. TUBE .....	\$ 5.79
SIE18-9600-2	QUART BOTTLE .....	\$ 8.49
SIE18-9600-5	5 GALLON BUCKET .....	\$ 120.89
SIE18-9600-9	CONTAINS 2 10 OZ. TUBES & FILL TUBE ...	\$ 33.49



## MALLORY PREMIUM GEAR LUBRICANT

Special marine additive package provides superior lubricity and corrosion protection to protect gears and bearings under the demanding conditions of the extreme marine environment. Exceeds all OEM specifications. Excellent film strength protects gears and bearings in heavy load conditions. Recommended for all outboards & stern drive gearcases requiring a marine GL -5 lubricant (except OMC/Johnson/Evinrude electric shift models, for these units use Mallory Marine "Type C" gear lubricant). Will not void engine manufacturers warranty! Replaces: Mercury Premium Blend, Johnson/Evinrude Hi-Vis Lubricant, Honda, Suzuki, Nissan/Tohatsu, Yamaha -Yamalube LUB-GEARL-11-04.

MLY9-82401	PREMIUM BLEND 1 QUART .....	\$ 8.49
MLY9-82402	PREMIUM BLEND 5 GALLONS .....	\$ 114.95
MLY9-82403	PREMIUM BLEND 16 GALLONS .....	\$ 383.00



## SIERRA TYPE "C" GEAR LUBE

Formulated for older model outboards and I/O's equipped with electric shift. Reduces friction and protects gears, bearings, and other gearcase components.

SIE18-9620-0	10 OZ. TUBE .....	\$ 6.49
SIE18-9620-2	QUART BOTTLE .....	\$ 8.49
SIE18-9620-5	5 GALLON BUCKET .....	\$ 130.99



## MALLORY PREMIUM TYPE "C" GEAR LUBRICANT

Specially formulated for older model outboards & sterndrives with electric shift Provides excellent lubricity and corrosion protection to help extend the life and preserve your classic outboard or sterndrive. Precise viscosity for proper operation and protection of critical electric shift components. For use in Johnson/Evinrude Outboards & OMC sterndrives with electric shift. Replaces: Johnson/Evinrude/OMC Premium Blend Available in these popular package sizes.

MLY9-82601	TYPE "C" QUART .....	\$ 8.19
------------	----------------------	---------



## STARBRITE HIGH VISCOSITY LOWER UNIT GEAR LUBE 80W 90

High Viscosity 80W 90. For API MT-1 GL-5, MIL-L-2105D service Formulated with special anti-wear additives, rust and corrosion inhibitors. Recommended for use in Mercury, Mercruiser, Johnson, Evinrude, OMC, Force, Mariner, Nissan, Suzuki, Yamaha and Volvo Will not void manufacturers' warranties. For lower units of all outboard motors and stern drives.

STR27005	5 GALLON BUCKET .....	\$ 126.95
STR27010	10 OZ. TUBE .....	\$ 6.09
STR27032	QUART BOTTLE .....	\$ 7.09





## STARBRITE HYPOID 90W LOWER UNIT GEAR LUBE

Hypoid 90W Gear Lube. for API GL-5 service. For outboards and stern drives with mechanical shift mechanisms. The ultimate lubrication for maximum performance and economy. Star brite High Viscosity 80W90 Lower Unit. Formulated with special anti-wear additives, rust and corrosion inhibitors. Recommended for use in Mercury, Mercruiser, Johnson, Evinrude, OMC, Force, Mariner, Nissan, Suzuki, Yamaha and Volvo. Will not void manufacturers' warranties. For lower units of all outboard motors and stern drives Star brite Marine Grade.

STR27105	5 GALLON.....	\$ 123.95
STR27110	10 OZ. TUBE.....	\$ 6.09
STR27132	QUART BOTTLE.....	\$ 7.09



## STARBRITE PREMIUM TYPE C LOWER UNIT GEAR LUBE

TYPE C GEAR LUBE. RECOMMENDED FOR ELECTRIC SHIFT GEAR CASES USED ON JOHNSON AND EVINRUDE OUTBOARDS (1962-'72), OMC STERNDRIVES (1977 & EARLIER) AND OTHER TYPE C APPLICATIONS. MEETS OR EXCEEDS OEM REQUIREMENTS-WILL NOT VOID MANUFACTURERS' WARRANTY.

STR27305	5 GALLON.....	\$ 122.95
STR27332	QUART BOTTLE.....	\$ 7.29



## STARBRITE SYNTHETIC LOWER UNIT GEAR LUBE 80W 90

Synthetic High Viscosity 80W 90. For API GL-5, MT-1 service. Special extreme pressure and anti-wear additives. Recommended for all engines over 100 hp. Protects against rust and corrosion. Superior thermal stability. Protection over a wide temperature range. High performance to meet the needs of high powered marine engines. Meets or exceeds OEM requirements-will not void manufacturers' warranty Recommended for use in Mercury, Mercruiser, Johnson, Evinrude, OMC, Force, Mariner, Nissan, Suzuki, Yamaha and Volvo.

STR27205	5 GALLON.....	\$ 153.95
STR27232	QUART BOTTLE.....	\$ 8.59

## STARBRITE LOWER UNIT QUART PUMP

Lower Unit Quart Pump. Fits various engines with proper adapters. Fits standard quart plastic bottles. Flexible hose gets to hard-to-reach fill plugs. Metal threaded fitting fits Mer-cruiser, OMC, Evinrude, Johnson, Honda (70-90hp), Volvo, Force and Gamefisher lower units.

\*\*You will need adapter **STR28401** for Yamaha, Nissan, Tohatsu & Honda Lower Units (2-50 hp) & **STR28402** for Suzuki engines.

STR27400	LOWER UNIT QUART PUMP.....	\$ 15.45
STR28401	YAMAHA/NISSAN/TOHATSU/(HONDA 2-50HP) ..	\$ 6.09
STR28402	SUZUKI .....	\$ 6.09
STR28600	LUBE TUBE ONLY.....	\$ 15.45



## SIERRA OIL PUMP

Oil Pump is ideal for DIY owners. The quart size application is perfect for most marine drives. Includes lube fitting for domestic lower units with flexible fill line.

SIE18-9781	OIL PUMP.....	\$ 12.89
------------	---------------	----------



## SEADOG LOWER UNIT DELUXE PUMP

Deluxe Pump fits quart oil bottles, Flexible hose gets to hard to reach locations. Metal threaded fitting fits most motors.

SEA502150-1	LOWER UNIT PLASTIC PUMP .....	\$ 6.95
SEA502155-1	LOWER UNIT DELUXE METAL/PLASTIC PUMP ..	\$ 12.85
SEA502159-1	YAMAHA ADAPTER .....	\$ 1.60



## SIERRA GEAR LUBE ADAPTER

For use with Sierra quart pumps or lower unit fill tubes.

SIE18-9794	FOR NISSAN, YAMAHA, HONDA, TOHATSU .....	\$ 7.69
SIE18-9795	FOR SUZUKI .....	\$ 8.49



## MALLORY QUART LOWER UNIT LUBE PUMP

Fits standard quart plastic bottles. For adding fluids to lower units. Flexible hose gets hard to reach fill plugs. Complete with metal threaded filler fitting.

MLY9-81002	LOWER UNIT PUMP .....	\$ 10.05
------------	-----------------------	----------



## LUBRIMATIC MARINE LOWER UNIT QUART PUMP

Fits standard quart plastic bottles. Ideal for adding fluids to marine lower units. Flexible hose gets hard to reach fill plugs. Complete with metal threaded filler fitting.

LBR55-005	PUMP W/OMC & MC FITTING .....	\$ 15.59
LBR55-012	YAM., TOHATSU, AND NISSAN ADAPTER .....	\$ 5.39
LBR55-013	SUZUKI ADAPTER .....	\$ 12.99



## LUBRIMATIC LUBRICANT PUMP

Fits standard quart plastic bottles to make adding fluids to small engines clean and easy.


LBR55-001	PUMP WITHOUT FILL FITTING .....	\$ 8.19
-----------	---------------------------------	---------



## LUBRIMATIC LUBE TUBE

Marine lower unit drain, flush, and fill tube. Quick, easy, and clean way to change lower unit gear lube. For use with all 8 and 10 oz. squeeze tubes. Fits Mercruiser, OMC, Evinrude, Johnson, Volvo, Force, and Gamefisher models.

LBR55-008	LUBE TUBE .....	\$ 16.99
-----------	-----------------	----------



## SIERRA FILL TUBE

Flush & fill tool for small gearcase requiring the 10oz. tube package. Ideal for "do-it-yourself" in home maintenance. Includes appropriate lower unit fitting for specific applications.


SIE18-9786	FILL TUBE .....	\$ 16.29
------------	-----------------	----------



## SIERRA 5 GALLON LUBE PUMP

For filling lower units on outboards and stern drives.

SIE18-9788	LUBE PUMP FOR 5 GALLON BUCKET .....	\$ 97.99
------------	-------------------------------------	----------



## LUBRIMATIC TRIM AND TILT FLUID

Formulated to provide viscosity and lubricity necessary to ensure proper pump performance and seal life. Combats high operating pressures and resists rust. Anti-foam and extreme pressure additives ensure excellent stability and strong resistance.

LBR11578	10 OZ. TUBE .....	\$ 5.99
----------	-------------------	---------





## SIERRA TRIM & TILT FLUID

Formulated For High Operating Pressure. Anti-Foam Additives Assure Uniform Flow With Reduced Air Contamination In Hydraulic Systems. Designed For Heavy Duty Use At High Operating Pressures In Applications Subject To Varied Temperature Ranges. Provides Proper Lubrication And Corrosion Protection For Internal Hydraulic Components.

SIE18-9750-0 10 OZ. TUBE .....\$ 7.19

## STARBRITE POWER TRIM AND TILT FLUID

Power Trim and Tilt. Exceeds OEM warranty requirements. Formulated to provide consistent (no-fade) performance in all marine trim and tilt applications. Anti-foam, anti-wear, anti-oxidation and advanced stabilizing additives assure optimum performance in hydraulic trim tabs, power tilt and power steering systems. Enhanced to protect seals, hoses and other components from drying, cracking or corroding.

STR28510 10 OZ. TUBE .....\$ 6.09

## LUBRIMATIC TC-W3 OUTBOARD MOTOR OIL

Our ashless outboard motor oil meets or exceeds all engine manufacturers' warranty requirements and are NMMA TC-W3 certified. Used in today's higher horsepower outboards to provide superior protection against piston scuffing, bearing wear, spark plug fouling, pre-ignition, and rust. Recommended for use in oil injection systems. Will not void your warranty. Lubrimatic guarantees it!



LBR11590	PINT BOTTLE .....	\$ 5.79
LBR11591	QUART BOTTLE .....	\$ 9.99
LBR11592	GALLON BOTTLE .....	\$ 38.99
LBR11593	2-1/2 GALLON CONTAINER .....	\$ 100.99
LBR11601	SYNTHETIC GALLON .....	\$ 34.00 *

## LUBRIMATIC 2-CYCLE ENGINE OIL

Formulated to improve performance, extend engine life and reduce plug fouling. Provides excellent wear protection and high temperature performance. Recommended for chain saws, trimmers, motorcycles, mowers and other air cooled 2-cycle engines.



LBR11527 OIL, 2-CYCLE QUART .....\$ 10.19

## SIERRA 25W-40 4 STROKE MARINE STERN DRIVE ENGINE OIL

Formulated to provide excellent lubrication and corrosion protection. Stern drive and in-board engines operate under high load and running stresses. This product is developed for the marine environment and will out perform standard 4-cycle automotive engine oils. The benefits to your engine are reduced wear to the internal components, protection of internal parts from corrosion, cleaner pistons, and prevention of ring sticking. Excellent low temp. operating properties. Recommended for use in Mercruiser, OMC and Volvo Penta.



SIE18-9400-2	QT. 25W40 STERNDRIVE .....	\$ 6.79
SIE18-9400-4	5QT, 25W40 STERNDRIVE .....	\$ 31.19

**SIERRA 10W-30 4 STROKE MARINE OUTBOARD ENGINE OIL**

Highly refined petroleum product formulated with premium base stock and highly refined additives. Specifically formulated to meet or exceed the tough requirements of the Marine 4-stroke motor manufacturers, Mercury, Yamaha, Johnson-Evinrude, Suzuki and Honda. Reduces friction. Formulated to offer maximum corrosion protection. Low temperature viscosity offers better cold starting.



SIIE18-9420-2	QUART .....	\$ 7.39
SIIE18-9420-3	GAL .....	\$ 25.99

**SIERRA 25W-40 STERN DRIVE INBOARD ENGINE OIL**

Sierra 4 Stroke oil specially formulated for the demands of stern drive and inboard engines. The 25W-40 grade oil includes a blend of additives that boosts the corrosion protection and lubrication for the extreme demands of the marine environment. It has been developed to outperform standard 4-cycle automotive engine oils in marine applications, with excellent detergency, anti-oxidants, anti-wear, and corrosion protection. The benefits for marine engines include reduced wear of internal components, corrosion protection for internal parts, cleaner pistons, and prevention of ring sticking. Excellent low temperature operating properties. Meets or exceeds quality performance API SJ, CF-4, CH-4. Recommended for use in Mercruiser, OMC and Volvo Penta.



SIIE18-9440-2	QUART .....	\$ 7.89
SIIE18-9440-4	GALLON .....	\$ 34.09

**MALLORY MARINE HIGH PERFORMANCE FC-W SAE**

10W-40 & 20W-50 4-Stroke Engine Oils. Formulated for Superior Performance and Corrosion Protection in 4-Stroke Outboards & Sterndrive Engines. Blended with premium quality base stocks and special additives that provide the ultimate in corrosion protection and reduced engine wear in the demanding marine environment. Our SAE 10W-40 viscosity has been formulated for today's high tech 4-Stroke Outboards in all climates plus it is ideal for Sterndrives and Inboards in cooler climates. Our SAE 20W-50 viscosity has been formulated specifically to protect Sterndrive & Inboard Engines in High Performance & Heavy Load applications. Use with Genuine Mallory Marine Oil Filters for maximum engine protection. Meets or Exceeds all Engine Manufacturers Warranty Requirements and is NMMA FC-W Certified.



MLY9-82350	10W-40 4-STROKE OIL - QUART .....	\$ 7.29
MLY9-82351	10W-40 4-STROKE OIL - GALLON .....	\$ 24.95
MLY9-82375	20W-50 4-STROKE OIL - QUART .....	\$ 7.39

**SIERRA SYNTHETIC 10W30 MARINE ENGINE OIL**

Use in 4-Stroke O/B , Stern Drive applications.

SIIE18-9690-2	10W30 SYNTHETIC QUART .....	\$ 11.89
SIIE18-9690-3	10W30 SYNTHETIC GALLON .....	\$ 36.09





## SIERRA "BLUE" PREMIUM TC-W3 2 CYCLE ENGINE OIL

Sierra TC-W3 is a high performance lubricant that has been manufactured and designed to meet and exceed all (Domestic & Import) engine manufacturers warranties. Exceeds JASO, ISO, API, and NMMA for advanced generation 2 cycle lubricants. Ideal for oil injection systems or pre-mix applications. Optimum burnability for smokeless combustion. Runs cleaner, burns cleaner. Significantly reduced aquatic toxicity to fish compared to other outboard oils on the market today. Maximum lubrication and detergency allows engine to run smoother and more efficiently. Reduces ring sticking, deposit formation, and exhaust blockage. Less friction allowing for easier starting. Formulated to improve performance and extend engine life by reducing wear on critical engine components. Ideal for today's high horsepower outboards that demand maximum performance. Excellent performance with lower quality fuels. Exceeds the new 1997 industry standards. Graduated bottle and mixing ratio chart simplify pre-mixing. Formulated for all PWC (Personal Water Craft), power equipment, and marine applications where TC-W3 is required. Guaranteed and backed by our famous Sierra comprehensive warranty. (Will not void your engine manufacturer's warranty)

SIE18-9500-1	PINT BOTTLE . . . . .	\$ 5.09
SIE18-9500-2	QUART BOTTLE . . . . .	\$ 9.69
SIE18-9500-3	GALLON BOTTLE . . . . .	\$ 34.89
SIE18-9500-4	2.5 GALLON CONTAINER . . . . .	\$ 80.99

## MALLORY PREMIUM TC-W3 2-CYCLE ENGINE OIL



Advances in 2 cycle engine technologies have made the oil you select to use in your outboard more important than ever to insure proper performance and life expectancy of your high tech outboard. Mallory Premium TCW-3 oil is formulated to exceed those expectations and requirements. No matter what technology your engine is using carburetor, EFI, DFI, Ficht, HPDI, and any other fuel delivery system you can rest assured this oil will not let you down. Exceeds OEM, NMMA, JASO, API & ISO specifications for advanced 2 cycle oils. Clean burning formula reduces ring sticking and deposit formation for improved performance such as easier starting, smoother idling, and extended engine life. Excellent performance in Oil Injection or pre-mix applications. Blue color to easily identify oil presence in fuel. Will not void engine manufacturers warranty. For use in all 2-cycle outboards.

MLY9-82300	PINT . . . . .	\$ 4.39
MLY9-82301	QUART . . . . .	\$ 7.89
MLY9-82302	GALLON . . . . .	\$ 29.45



## STARBRITE SUPER PREMIUM 2-CYCLE ENGINE OIL TC-W3 GALLON



Synthetic Super Premium TCW-3. Meets or exceeds manufacturers' specifications-will not void engine warranty. NMMA approved-meets or exceeds their stringent TC-W3 requirements. Exceeds performance specifications for FICHT, Optimax and HPDI engines. Contains PIB viscosity modifier to greatly improve lubricity and to reduce smoking. High-detergent formula removes deposits from fuel delivery system. Ashless formula minimizes piston ring sticking and protects against preignition problems. Environmentally friendly, reduces emissions. Engineered for operation under extreme conditions. For use in oil injection, 2 cycle and pre-mix engines. Super premium additive package makes this oil one of the cleanest burning, smoothest running, best lubricating TC-W3 oils you can buy.

STR19200	GALLON . . . . .	\$ 28.95
STR19232	QUART . . . . .	\$ 8.09

## STARBRITE PREMIUM 2-CYCLE ENGINE OIL TC-W3 GALLON

Premium TCW-3. Meets or exceeds manufacturers' specifications-will not void engine warranty.NMMA approved-meets or exceeds their stringent TC-W3 requirements. Environmentally friendly, clean burning oil that reduces emissions. Engineered for operation under extreme conditions. For use in oil injection, 2 cycle and pre-mix engines. Ashless formula minimizes piston ring sticking and protects against pre-ignition problems.


STR19016	PINT . . . . .	\$ 4.89
STR19032	QUART . . . . .	\$ 7.49
STR19000	GALLON . . . . .	\$ 26.95
STR19025	2.5 GALLON . . . . .	\$ 66.95



## SEA-DOG ACCU-MIX OIL TO GAS MEASURING BOTTLE

Accurately measures the correct oil to gas mixture for all 2-cycle engines. Mixtures of 24:1, 33:1, 40:1, 50:1 and 100:1 ratios are shown on the see thru bottle for accurate measuring in both gallons and liters.

SEA588614	ACCU-MIX 32 OZ. . . . .	\$ 4.25
-----------	-------------------------	---------



SEA-DOG

## LUBRIMATIC CORROSION CONTROL AND TRAILER BEARING GREASE

Special water-insoluble formula ideal for marine applications. Provides excellent corrosion protection against severe operating conditions caused by salt water, salt air, and atmospheric chemicals. Use on wheel bearings, including disk brake wheel bearings, and to protect swivel hinges, pins, winches, and anchor chain reels from corrosion.

LBR11399	2 PACK 3 OZ. CARTRIDGES . . . . .	\$ 7.79
LBR11400	4 PACK 3 OZ. CARTRIDGES . . . . .	\$ 13.19
LBR11402	14 OZ. CARTRIDGE . . . . .	\$ 6.99
LBR11404	1 LB. CAN . . . . .	\$ 8.79
LBR11405	10 OZ. TUBE . . . . .	\$ 6.59 *
LBR11406	8 OZ. TUBE . . . . .	\$ 8.59



LubrMatic

## STARBRITE WHEEL BEARING GREASE

Wheel Bearing Grease. Superior rust and corrosion protection from salt water, salt air and atmospheric chemicals. Special water-insoluble formula is highly resistant to wash-out. Recommended for corrosive marine application trailer wheel bearings, water pumps, hinges, pins, winches, anchor chain reels.

STR26003	2PK 3OZ CARTRIDGES . . . . .	\$ 11.45
STR26014	14 OZ. CARTRIDGE . . . . .	\$ 7.49
STR26016	16 OZ. TUB . . . . .	\$ 8.09



## CRC/STA-LUBE MARINE GREASE

For boat trailer wheel bearings. Aluminum complex, NLGI #2 grease. Superior rust and corrosion protection; high drop point. Excellent water resistance. Minimizes pressure build-up in bearing system.

CRC-SL3120	14 OZ. CARTRIDGE GREASE . . . . .	\$ 5.95
CRC-SL3121	14 OZ. CAN GREASE . . . . .	\$ 6.95
CRC-SL3184	3 OZ SMALL CARTRIDGE 3 PACK . . . . .	\$ 7.95



CRC



## TRAVACO GLY™ SILICONE GREASE

GLY is a waterproof, high-temperature dielectric grease that protects as it lubricates. Resists freezing and melting (-40° to +400°F). Water white, non-staining lubricant. It will eliminate corrosion on zippers, snaps, winches, battery terminals, sheaves and all types of hardware and electrical connections. GLY won't wash off, and it will assure long-term protection and lubrication under severe service conditions.

TRV-RM350E      2 OZ TUB OF "GLY" SILICONE GREASE . . . . \$ 10.25 \*



## BURKE INDUSTRIAL COATINGS STAINLESS STEEL IN AEROSOL

100% 316L Grade Stainless Steel in Aerosol. Easy to apply. Protection from all types of weather. Use wherever you need maximum corrosion resistance. Resists chemical fumes and spillage of oil or water. Apply to unpainted galvanized metal, aluminum, tin, mild steel or masonry surfaces. Dries to touch in minutes. Outlasts ordinary paint 10 to 1! A perfect product for industrial and automotive use. Works on metals, wood, and most plastics. Application for severe corrosion protection on piping, valves, metal doors, and electrical boxes.

BUR316LSP      SUPERCAT 316L 16-OZ SS SPRAY . . . . . \$ 9.90 D  
 BUR316SP      SUPERTEMP 316 16-OZ SS SPRAY . . . . . \$ 11.55 D



## ACF-50 ANTI-CORROSION FORMULA

Anti-Corrosion Formula is a state of the art, anti-corrosion/lubricant compound that has been specifically designed for the aerospace industry. It can be described as an ultra thin fluid compound which must be applied on an annual basis. ACF-50 actively penetrates through the corrosion deposits to the base of the cell where it emulsifies and encapsulates the electrolyte, lifting it away from the metal surface. ACF-50 then dispels this moisture and provides an atmospheric barrier which prevents any further moisture contact, thereby keeping the cell inactive. This compound continues to actively penetrate and "creep" into the tightest of seams, lap joints, micro cracks and around rivet heads, dissipating the moisture, even salt water, in these corrosion prone areas. These unique abilities of ACF-50 remain effective for 12 months, gradually disappearing as it is chemically consumed.


ACF13            13 OZ. AEROSOL . . . . . \$ 16.95 H  
 ACF4L           4 LITER CONTAINER . . . . . \$ 126.95 H  
 ACF20L         20 LITER PAIL . . . . . \$ 548.00 A



## CORROSION BLOCK

Corrosion Block anti-corrosion compound is a state-of-the-art material developed exclusively for the marine industry. Corrosion Block has three superior features: 1) It is a superior anti-corrosion compound as it kills corrosion in progress, and it prevents new corrosion cells from forming for 12 to 18 months. 2) It is an excellent penetrant, and 3) It is an excellent lubricant.

CBL1            1 OZ. . . . . \$ 2.29 H  
 CBL4            4 OZ. . . . . \$ 7.90 H  
 CBL12          12 OZ. . . . . \$ 16.95 H  
 CBL32          32 OZ BOTTLE . . . . . \$ 37.95 H  
 CBL4L          4 LITER . . . . . \$ 127.95 H  
 CBL20L        20 LITER . . . . . \$ 542.00 A



## CORROSION BLOCK MULTI-PURPOSE GREASE

Designed to provide maximum protection under severe conditions. Its formulation provides both high and low temperature performance, increasing the service life of critical components. Strongly resists water wash out and provides superior protection against rust and corrosion. Outperforms lithium and most synthetic greases. Distinctive aqua color.

CBL-G2            2-OZ. TUBE . . . . . \$ 4.79 H  
 CBL-G2X3        3 OZ. CARTRIDGES (2/PACK) . . . . . \$ 11.95 H  
 CBL-G14          14-OZ. CARTRIDGE . . . . . \$ 11.95 H  
 CBL-G16          GREASE 16 OZ TUBE . . . . . \$ 12.95 H  
 CBL-G35          35LB TUB . . . . . \$ 351.00 H

## STARBRITE CORROSION SPRAY LUBE

CorrOsion Spray Lubricant. Developed for use in severe operating conditions caused by salt water, salt air and atmospheric chemicals. Outstanding mechanical stability, excellent water resistance and superior rust and corrosive preventative characteristics. Recommended for corrosive marine applications, boat trailer wheel bearings or any wheel bearing subject to corrosion, including disc brake wheel bearings.



STR27612 11 OZ. ....\$ 9.69

## LUBRIMATIC PISTOL OILER


Detachable flexible spout; heavy gauge metal body; crimped on body to form catch basin to prevent oil stains; black oven-baked enamel finish; positive force-feed pump made from durable plastic with two steel ball valves; removable pump parts for easy cleaning.



LBR50-509 6 OZ. OILER .....\$ 10.59  
LBR50-347 16 OZ. OILER .....\$ 28.99

## LUBRIMATIC HANDI GUN JIFFY LUBER


Designed for quick grease jobs. Squeeze tubes (not included) fit into zinc die cast body for easy dispensing. Includes 2-11/16" pipe and plastic push type coupler. Use LBR11405 10 oz. tube.



LBR30-195 JIFFY LUBER .....\$ 15.39

## LUBRIMATIC CORROSION CONTROL/TRAILER BEARING LUBRICATION KIT

Small, versatile gun allows user to let pipe come out of the front or top. Handy for all greasing applications. Barrel takes 3 oz. grease cartridges or can be bulk loaded. Includes push lock plunger, die cast T-handle that locks in place for loading, 5-1/2" grease pipe standard-duty coupler and 3 oz. cartridge of corrosion control/trailer bearing grease.



LBR30-190 LUBRICATION KIT .....\$ 31.99

## LUBRIMATIC MINI GREASE GUN KIT

Small, versatile grease gun allows for front or top pipe placement. Barrel takes 3 oz. grease cartridge or can be suction loaded. Includes 3 1/2" straight pipe and standard coupler.



LBR30-191 MINI GREASE GUN KIT .....\$ 22.99

## LUBRIMATIC STANDARD DUTY PISTOL GREASE GUN

Convenient, easy one-hand operation. 2-Way loading, cartridge or bulk load. Equipped with 3 1/2" grease pipe and coupler. Delivers up to 5,000 psi.



LBR30-300 STANDARD GREASE GUN .....\$ 24.49

LubriMatic

LubriMatic

LubriMatic

LubriMatic

LubriMatic



LubriMatic

## LUBRIMATIC LEVER GREASE GUN

Features 3-way loading, finger grip handle on lever, air bleeder valve fitting, 5-1/2" curved grease pipe and standard coupler.

LBR30-475 VARIABLE STROKE HD GREASE GUN.....\$ 43.49




LubriMatic

## LUBRIMATIC FLEX GREASE HOSE

Economy - Flexible Grease Whip Hoses. For use on hand operated grease guns only. 1/8" NPT male fittings on each end.

LBR10-201 ECONOMY 18" HOSE 3000 PSI.....\$ 6.19  
LBR10-219 STANDARD 18" HOSE 5000 PSI.....\$ 10.79




LubriMatic

## LUBRIMATIC LEVER ACTION GREASE GUN

Electrostatic finish. Takes 14-oz. grease cartridges or can be bulk loaded. Full stroke lever action displaces ample grease with optimum pressure. Includes push lock in plunger, rod that locks in place for loading, 5.5" curved grease pipe and standard-duty coupler.

LBR30-200 GREASE GUN.....\$ 16.99



## AQUA SHIELD

Seals, lubricates, and protects parts exposed to salt water, pool chemicals and steam. For bearings, water pumps, "O" rings, motors, gaskets and boat trailer bearings.

AQL-TUBE 8 OZ TUBE.....\$ 15.95  
AQL-CART 14 OZ CARTRIDGE.....\$ 13.95



## STARBRITE PISTOL GREASE GUN WITH 3 OZ. CARTRIDGE

Mini Grease Gun with Cartridge. Contains lube gun and 3 oz. cartridge (N.L.G.I. #2) of marine wheel bearing grease. Convenient, one hand application. Heavy duty design for years of trouble-free use. This is a high quality grease gun.

STR28703 MINI GREASE GUN WITH 3 OZ. CARTRIDGE..\$ 35.45



## STARBRITE LEVER ACTION GREASE GUN FOR 14 OZ. CARTRIDGE

Heavy Duty 14 oz Grease Gun. Lever action grease gun. For use with all 14 and 14.5 oz. grease cartridges. Corrosion resistant bright metal finish. Engineered to maximize pressure with consistent flow of grease. Heavy gauge steel barrel helps prevent dents, promoting longer life.

STR28714 GREASE GUN FOR 14 OZ. CARTRIDGE.....\$ 23.45



## SIERRA PREMIUM MARINE BEARING GREASE

Specifically formulated for marine applications. Premium lithium formulation for optimum corrosion protection in freshwater and saltwater. Ideal for wheel bearings, universal joints and outdrive pivot joints.

SIE18-9710-0 10 OZ TUBE.....\$ 7.59  
SIE18-9710-1 14 OZ CARTRIDGE.....\$ 5.89  
SIE18-9700-2 3 OZ CARTRIDGE/2 PKG.....\$ 9.79 \*  
SIE18-9700-4 3 OZ CARTRIDGE/4 PKG.....\$ 19.39

## CRC MARINE MARINE WHITE LITHIUM GREASE

Provides superior lubrications & durability in any weather and most temperatures. It is a versatile grease designed for applications requiring a long grease life. Will not wash off, melt or freeze.

CRC06037 16 OUNCE AEROSOL .....\$ 4.45



## LUBRIMATIC WHITE LITHIUM GREASE

Includes zinc additive for a clean, white color. Ideal for general home, shop, automotive, agricultural, and industrial applications. Provides superior performance and protection in many weather and temperature conditions.

LBR11354 14 OZ. CARTRIDGE .....\$ 6.39



## LUBRIMATIC MULTI-PURPOSE LITHIUM GREASE

Long-lasting, hard working formula delivers high performance in a wide range of heavy-duty applications. Recommended for chassis, universal joints, and other general-purpose applications around the home, farm, or shop. Works best for lubricating rolling parts.

LBR11315 14 OZ. CARTRIDGE .....\$ 4.99



## LUBRIPLATE MULTI-PURPOSE GREASE

LUBRIPLATE No. 630-AA is an NLGI No. 1 lubricant and the most popular multi-purpose general grease.

LUB-L0067-092 10 OZ TUBE .....\$ 10.99 H  
LUB-L0034-094 1LB TUB .....\$ 8.29 H



## SIERRA ENGINE ASSEMBLY GREASE

Formulated for all engine rebuilding needs and easy assembly. Delivers superior lubrication on metal to metal components, bearings and all other internal engine components.

SIE18-9740-1 1LB TUB .....\$ 6.19



## CAMCO D.I.Y. BOAT WINTERIZER

Quickly and efficiently service inboard/outboard marine engines. The patented Do-It-Yourself Winterizer allows flushing and preparation of boat engine for winter storage with just five gallons of antifreeze and your flusher. Save time and money season after season. Great for technicians, too. For front mounted raw water pump systems, use the Flush Adapter, sold separately.

CM065501 BOAT WINTERIZING KIT .....\$ 57.95



## CRC MARINE ENGINE STOR

- \*Protects outboard motors, marine engines, and other internal combustion engines.
- \*Keeps pistons, rings, and cylinder walls corrosion free-Insures longer engine life!
- \*Preserves fishing reels, tools, and metal surfaces subject to rust and corrosion.
- \*Protects electrical connections in use and in storage.
- \*Excellent anti-seize lubricant.

CRC06068 13 OZ. ....\$ 5.95  
CRC06069 1 GALLON .....\$ 36.95



Starbrite



## STARBRITE FOGGING OIL

Prevents corrosion when storing inboard or outboard engines for an extended period of time. Special formula makes starting engine after storage quick and easy.

STR84812	12 OZ. ....	\$ 6.49
STR84800	GALLON . . . . .	\$ 41.45

CRC



## CRC MARINE ENGINE STOR FOGGING FLUID

As fogging fluid, it protects outboard motors, marine engines & internal combustion engines, insures longer life. As long term metal protectant, it keeps pistons, rings & cylinder walls corrosion free. Also protects electrical connections in use/storage. For OMC motors equipped with maintenance valve, as a corrosion inhibitor, fishing reels, metal parts, gasoline engines only, marine engines, outboards, safe for use in gasohol, tools (hand), tools (power).

CRC06072	16 OZ. ....	\$ 7.45
----------	-------------	---------

CRC



## HARDLINE BATTERY "EQUALISER"

Battery Equaliser is a non-corrosive, non flammable, water base liquid battery treatment; formulated to extend the life and performance of any new or used lead acid battery. Battery Equaliser is recommended for use in autos, boats, golf carts, motorcycles, solar, trucks, RV's, electric forklift batteries, or any other lead acid battery. This product has been tested and proven to be the #1 battery additive worldwide for the last 25 years!

HRD-DHP6	6 OZ. BOTTLE SMALLER BATTERIES . . . . .	\$ 13.75
HRD-DHP12	12 OZ. BOTTLE LARGER BATTERIES . . . . .	\$ 21.25

CRC



## CRC BATTERY CLEANER

Neutralizes acid spills. Helps prevent corrosion. Cleans terminals, cables, cases, connectors, hold-downs and carriers. Assures maximum battery current and promotes longer life.

CRC06023	11 OZ. ....	\$ 3.95
----------	-------------	---------

CRC



## CRC MARINE BATTERY TERMINAL PROTECTOR

Specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure. Provides a lead free soft protective coating.

CRC06046	12 OUNCE AEROSOL . . . . .	\$ 5.95
----------	----------------------------	---------

CRC



## CRC MARINE FORMULA 6-56

Lubricates, penetrates, loosens rusted parts, protects against corrosion, fights moisture, and starts wet engines.

CRC06005	6 OZ. ....	\$ 4.95
CRC06006	9 OZ. ....	\$ 5.45
CRC06007	11 OZ. ....	\$ 6.45
CRC06008	1 GALLON . . . . .	\$ 34.45

CRC



## CRC KNOCK'ER LOOSE FORMULA

An industrial strength, low viscosity super penetrant designed to quickly loosen and free seized, bound or frozen fasteners. Quickly permeates rust, scale, gum, grease and corrosion. Outperforms the competition as verified by independent tests.

CRC03020	16 OZ AEROSOL CAN . . . . .	\$ 9.95
----------	-----------------------------	---------

## CRC HEAVY DUTY CORROSION INHIBITOR

A long term, flexible corrosion inhibitor that protects & preserves metal surfaces, electrical connections, engine components & fasteners, subject to salt spray and high humidity. Also provides effective protection for steering & throttle linkages.

CRC06026 10 OZ AEROSOL CAN .....\$ 8.45



## WD-40

The instant non-oily lubricant. Stops rust, corrosion, and squeaks.

WD49/1110054 9 OZ.....\$ 6.99  
WD4G GALLON.....\$ 32.75



## CRC 3-36 PRECISION LUBE

A versatile petroleum based compound that forms a clear, thin film that lubricates and protects against wear and corrosion. Multi-purpose product lubricates, protects, displaces, moisture, and cleans all in one. Use on: Tubing, castings, gears, weld rod, wire, fixtures, dies, jigs, shim stock, chucks, drill rod, heat treated parts, machined surfaces, finished welds, aluminum extrusions, air actuated tools, conveyors, frozen joints, locks, hoists, etc.

CRC03004 5 OZ PRECISION LUBE.....\$ 6.09  
CRC03005 11 OZ PRECISION LUBE.....\$ 8.45  
CRC03006 1 GAL. PRECISION LUBE.....\$ 47.45



## CRC CORROSION INHIBITOR

Thin, non-staining film protects indoors for up to 9 months. Use for protection of all metals and for parts subjected to high humidity conditions. Perfect as an anti-corrosion coating for shrink-wrapped parts and a moisture displacer for finished parts.

CRC03224 SP250 LIGHT DUTY 11 OZ.....\$ 7.89  
CRC03262 SP350 HEAVY DUTY 11 OZ.....\$ 14.45  
CRC03282 SP400 EXTRA HEAVY DUTY 11 OZ.....\$ 15.75



## LPS 1 GREASELESS LUBRICANT

Greaseless Lubricant was especially created as a light duty lubricant for use on delicate mechanisms. It dries fast so it doesn't attract dust or gum up. LPS 1 is safe to use on plastics, rubber, and painted surfaces because it contains no dangerous chlorinated solvents. A penetrating lubricant, it loosens rusted and frozen parts while providing a light corrosion-inhibiting film that gives short term protection. Lubricates delicate mechanisms. Penetrates rusted fasteners. Dries wet electrical/electronic components.

LPS0116 16 OZ.....\$ 13.25 \*



## LPS 2 GENERAL PURPOSE LUBRICANT

LPS 2 General Purpose Lubricant is a penetrant and corrosion inhibitor. As a lubricant it can be used on all types of equipment, both indoors and outdoors. Its fast penetrating action gets it into hard-to-reach areas and helps loosen frozen nuts, bolts, and other parts. Sprayed as a coating for interior storage, it forms a film that provides protection against corrosion for a year or more.

\*Loosens frozen parts

\*Fast acting penetrant

\*Protects against corrosion indoors and outdoors for a year or more

LPS0216 16 OZ.....\$ 13.75





**LUBRIMATIC CORROSION PRO**

LBR11401 11 OZ. CAN .....\$ 11.79



**CRC MARINE SILICONE-GREAT LUBRICATOR**

Won't wash off  
 Use on anything that sticks or squeaks  
 Eases on/off application of canvas fasteners, snaps, and zippers  
 Resists cold and heat. Effective from -40 to 500 deg. F.  
 U.S.C.G. Certification No. 933


CRC06077 12 OZ. ....\$ 4.45



**CRC MARINE ELECTRONIC CLEANER**

Instantly removes oil, grease, dirt, flux and other contaminants. Helps prevent contact failure or malfunction. Evaporates quickly.

CRC06102 ELECTRONIC CLEANER .....\$ 6.95



**LUBRIMATIC SILICONE LUBRICANT**

LBR11470 9-3/4 OZ. ....\$ 12.99



**CRC MARINE MARINE PREMIUM ELECTRONICS GREASE**

Seals, protects & insulates electrical contacts from moisture. Lubricates & seals rubber & plastic parts. Waterproofs components & contacts to protect against arcing. Improves electrical performance during adverse conditions such as rain & fog.

CRC06106 3.3 OUNCE AEROSOL .....\$ 13.45



**CRC EXTREME DUTY SILICONE LUBE**

Silicone fluid with superior lubrication and temperature viscosity characteristics. Use on all metallic and non-metallic surfaces. Reduces friction and galling even on metal-to-metal contact areas.

CRC03030 16 OZ. AEROSOL .....\$ 14.95



**LPS SILICONE LUBRICANT**

Protects up to two years Stops rust and corrosion Provides non-sling lubrication. Nonflammable propellant Self-healing, waxy film Provides anti-seize coating Safe to use on rubber, fabric, plastics and paints.

LPS01516 13 OZ .....\$ 11.95 \*



**CRC MARINE DRY LUBE**

Penetrates & bonds to metals, wood, rubber, plastic. Lubricates & helps reduce friction & drag. Repels water, dirt & oil. Seals out moisture to prevent mildew & corrosion.

CRC06114 16 OZ AEROSOL .....\$ 10.45

## CRC MARINE FREEZE-OFF SUPER PENETRANT

A unique formula that immediately drops the temperature of the area in direct contact with the spray. The freezing effect cracks rusted surfaces, allowing Freeze-Off® to reach deeper & work more effectively than other penetrants.

CRC05002	20 OUNCE AEROSOL CAN (LOW VOC) .....	\$ 7.45
CRC05222	20 OUNCE AEROSOL CAN .....	\$ 5.95



## CRC CHAIN & WIRE ROPE LUBE

Blend of synthetic lubricants that penetrate deep to lubricate and protect. Extends the working life of chains and wire rope and reduces wear caused by friction and corrosion. Low speed conveyor, drive chains, hoists, winches, pulleys, cushion pins, rollers, garage doors, bushings, seals, o-rings, and come-alongs.

CRC03050	16 OZ. CAN .....	\$ 15.95
----------	------------------	----------



## LPS CHAIN & CABLE LUBE

Extreme condition lubricant. Authorized by the USDA for use in federally inspected meat and poultry plants. Loosens rusted parts. Safe on fabric, plastic, rubber, paint and other finishes. Adheres longer and provides maximum lubrication and corrosion protection. Operates in extreme pressure and temperature ranges.

LPS02416	11 OZ "CHAIN MATE" .....	\$ 15.25 *
----------	--------------------------	------------



## STARBRITE PTFE TRAILER HITCH LUBRICANT

The Best protection for trailer hitches. Impervious to fresh or salt water. Protects from -65°F to +650°F. Will not wash off or break down. Non Toxic, non-staining. PTFE provides friction free surface. This product has hundreds of other applications such as lubricating winches, zippers, and just about anything needing grease.

STR85804	4 OZ. TUB .....	\$ 14.45
----------	-----------------	----------



## LPS ELECTRO CONTACT CLEANER

A fast evaporating cleaner that penetrates and cleans, leaving no residue. It is especially suited for use with electrical and electronic parts as well as other types of delicate mechanisms, circuit boards, tuners, and recording heads. Cleans electrical/electronic components. Penetrates and removes light oil and dirt. Leaves no residue. No downtime. Safe on all surfaces. Non-flammable, non-toxic, and nonexplosive.

LPS03116	16 OZ. ....	\$ 21.95 *
----------	-------------	------------



## STARBRITE SUPER LUBRICANT WITH TEFLON

Heavy duty PTFE® formula. Displaces water; great for drying electricals. Penetrating action loosens rusted parts. Protects against Wear and corrosion. Stops squeaks.

STR83013	13 OZ. AEROSOL CAN .....	\$ 10.25 *
----------	--------------------------	------------



## ANCOR DIELECTRIC SILICONE COMPOUND

Fights oxidation to improve conductivity. Penetrates aluminium oxide to maintain current paths. Temperature rated 40-500 deg F. 1/3 oz tube.

ANR700115	DIELECTRIC SILICONE COMPOUND .....	\$ 9.99 J
-----------	------------------------------------	-----------





## LPS INSTANT COLD GALVANIZE

A zinc-rich coating that performs like a high temperature galvanize to prevent rust and corrosion up to three years. It can be used as a primer over rusted metal to repair hot dipped galvanizing. Withstands temperatures up to 750 deg. F, dry heat up to 1,000 deg. F, and water up to the boiling point.

LPS0516 INSTANT COLD .....\$ 22.50 \*



## CRC INSTANT GALVANIZE

High performance coating of 95% pure zinc that electrochemically bonds to ferrous metals. Provides protection of hot dip galvanize with on the job convenience. Use on threads, exposed edges, fasteners, conduit, strapping, welds, fencing, railings, grates, electrical poles, breaker panel housings, rain spouts, signs, doors, trailers, waste containers, catwalks, and guard rails.

CRC06054 16 OZ. AEROSOL .....\$ 9.95



## CRC ZINC-IT INSTANT COLD GALVANIZE

High-performance coating of 95% pure zinc that electrochemically bonds with ferrous metals to form a galvanic cell. It actively fights rust and corrosion. Use as a touch-up for damaged galvanized coatings. Dries quickly.

CRC18412 13 OZ. ....\$ 12.25 \*



## CRC MARINE CLEANER AND DEGREASER

- \*Dissolves and flushes away dirt, oil, and grease
- \*Cleans marine engines and electrical equipment in place
- \*Leaves no residue
- \*Non-flammable, non-corrosive
- \*U.S.C.G. Certification No. 737


CRC06019 20 OZ. ....\$ 7.95



## CRC MARINE DUST & LINT REMOVER

Provides a powerful blast of product to remove embedded debris without damaging sensitive components or surface finishes. Reaches areas where normal hand dusting cannot.

CRC05185 16 OUNCE AEROSOL .....\$ 9.45



## EMSCO CLEANER-DEGREASER

A non-flammable cleaner-degreaser concentrate ideal for marine use. Use this product for decks, hull, cabin, galley, engines, and engine compartments. Apply by any method: mop, squirt, spray, or apply with pressure washers.

EMC100Q QUART .....\$ 5.45  
EMC100G GALLON .....\$ 13.15



## EMSCO EASY BRITE BOAT SCALE & SLIME REMOVER


Easy Brite is a blend of three acids and special wetting agents designed to remove salt, hard water scale, and water slime from boat surfaces. Will also remove oxidation from aluminum boats. Safe to use on fiberglass.

EMC1000Q QUART .....\$ 9.25  
EMC1000G GALLON .....\$ 23.10

## LUBRIMATIC LUBRI-SPOUT

Fits standard quart, 5 quart, and gallon bottles.

LBR60-201 SPOUT .....\$ 10.95



LubriMatic

## LUBRIMATIC MULTI-PURPOSE FLEX FUNNEL

LBR75-074 FUNNEL .....\$ 5.79 \*



LubriMatic

## STARBRITE 18" ECONOMY FUNNEL

18" ECONOMY FUNNEL. STANDARD 18" ECONOMY FUNNEL WITH ACCOMMODATION FOR 1 QT. OIL BOTTLES IN THE FUNNEL OPENING.

STR38018 18" ECONOMY FUNNEL .....\$ 5.49



## LUBRIMATIC THREE PIECE FUNNEL SET

LBR75-075 FUNNEL SET .....\$ 5.99 \*



## RACOR FUEL FILTER FUNNEL

The Racor Fuel Filter Funnel (RFF) family is a new heavy-duty, fast-flow, filter-in-a-funnel that separates damaging free water and dirt particules from gasoline (petrol), diesel, heating oil, and kerosene (parafin) to include aircraft fuel. This also allows you to inspect and control the quality of your fuel as you refuel especially out of fuel drums that are notorious for heavy water, rust & algae in them, all of which are very bad for the engine.

RAC-RFF1C 149MM H X 87.2MM DIA.13,5 SMALL .....\$ 26.90  
 RAC-RFF3C 224,1MM H X 137MM DIA.19,5 MEDIUM .....\$ 31.70  
 RAC-RFF8C 24,9MM H X 211,6MM DIA.25 LARGE .....\$ 47.60



RACOR.

## EVERCOAT PREMIUM MARINE RESIN

The perfect no-run, no-sag polyester resin for marine repairs. May be used on soft woods and fiberglass. Ideal repair for hulls, decks, cabins, and tanks. Use with Sea-Glass Fabrics and Evercoat Coloring Agents. Hardener included.

FBR554 PINT .....\$ 21.75  
 FBR553 QUART .....\$ 33.45  
 FBR552 GALLON .....\$ 98.95



EVERCOAT

## EVERCOAT BOAT YARD RESIN


A general purpose economy resin. Has excellent wettability and good strength. Hardener is included.

FBR518 QUART .....\$ 24.95  
 FBR517 GALLON .....\$ 75.95



EVERCOAT

EVERCOAT



## FIBERLAY BOATYARD RESIN

General purpose orthophthalic bonding and laminating resin. Cures with surface tack for better bonding between layers. Use for molding, building and repairing fiberglass laminates and as a base resin for polyester fairing putties and structural compounds. Catalyst sold separately.

FBL515Q	QUART BOATYARD RESIN .....	\$ 15.60
FBL515G	GALLON BOATYARD RESIN .....	\$ 35.80

EVERCOAT



## EVERCOAT LAMINATING RESIN

First coat resin, laminating type, for base coat applications. Not a finish coat. Remains tacky to hold fiberglass fabric in place on vertical surfaces. Needs no sanding between coats. Hardener included.

FBR561	QUART .....	\$ 33.45
FBR560	GALLON .....	\$ 98.95

EVERCOAT



## FIBERLAY LAMINATING RESIN

General purpose orthophthalic bonding and laminating resin. Cures with surface tack for better bonding between layers. Use for molding, building and repairing fiberglass laminates and as a base resin for polyester fairing putties and structural compounds. Catalyst sold separately.

FBL51Q	P-16 LAMINATING RESIN QUART .....	\$ 21.85
FBL51G	P-16 LAMINATING RESIN GALLON .....	\$ 53.55

## FIBERLAY FINISHING RESIN

Surface curing, surfboard grade orthophthalic finishing resin. Cures without a tack for a hard finished surface. Features good clarity and UV stability. Catalyst sold separately.

FBL53P	P-18 FINISHING RESIN PINT .....	\$ 17.35
FBL53Q	P-18 FINISHING RESIN QUART .....	\$ 23.95
FBL53G	P-18 FINISHING RESIN GALLON .....	\$ 59.65

## FIBERLAY METHYL ETHYL KETONE PEROXIDE

FBL811	METHYL ETHYL KETONE PEROXIDE 1 OZ. ....	\$ 3.30
FBL812	METHYL ETHYL KETONE PEROXIDE 4 OZ. ....	\$ 4.55

## EVERCOAT PREMIUM GEL-KOTE

The highest quality ISP NPG marine gel coat to permanently repair or replace the original high-gloss gel coat finish. Use to fill gouges, chips, scrapes, and deep scratches in fiberglass gel coat. A non-run, non-sag formulation of rigid, polyester resins produces resiliency and toughness. Use evercoat color agents. Easy to sand.

EVERCOAT



FBR5670	ONE STEP FINISH WHITE PINT .....	\$ 34.95
FBR5671	ONE STEP FINISH WHITE QUART .....	\$ 56.95
FBR5673	PINT WHITE .....	\$ 28.95 *
FBR5675	QUART WHITE .....	\$ 48.95 *
FBR5676	QUART NUETRAL .....	\$ 48.95 *

## FIBERLAY GEL COAT WITH SURFACE SEAL WAX

White gel coat containing surface seal (wax). Catalyst sold separately.

FBL5711WP	WHITE GEL COAT WITH WAX PINT .....	\$ 25.10
FBL5711WQ	WHITE GEL COAT WITH WAX QUART .....	\$ 39.25



## FIBERLAY GEL COAT UNPIGMENTED

Gel coat base. Use for tinting. Catalyst sold separately

FBL5700Q NEUTRAL COLOR GEL COAT QUART.....\$ 39.25



## FIBERLAY GEL COAT

White gel coat gallon. Catalyst sold separately.

FBL571100Q WHITE GEL COAT QUART.....\$ 39.25



## EVERCOAT POLYVINYL ALCOHOL (PVA)

Use as a curing agent for Gel-Kote and other air inhibited polyesters. Spray a light mist over the catalyzed Gel-Kote to fully cure the Gel-Kote resin and eliminate the tacky feel. Also an excellent mold release agent!

FBR5685 POLYVINYL ALCOHOL, MOLD RELEASE.....\$ 11.45



EVERCOAT

## EVERCOAT LIQUID HARDENERS

For use with polyester resins. Graduated measure for mixing.

FBR602 11CC FOR QUART.....\$ 4.09  
FBR603 40CC FOR GALLON.....\$ 7.09



EVERCOAT

## EVERCOAT CREME HARDENERS

Hardening agent for the use with all polyester resins and Gel Kote.

FBR607 WHITE CREME HARDENER 4 OZ.....\$ 14.15




EVERCOAT

## EVERCOAT PUMP KITS

Used to accurately measure and dispense resin and hardener in its proper 4:1 ratio

FBR608 QUART.....\$ 11.90  
FBR610 GALLON.....\$ 13.35 \*



EVERCOAT

## FIBERLAY MIXING/MEDICINE CUPS


FBL6521100 1 OZ. MIXING CUP.....\$ 0.10  
FBL6526PC 6 OZ. MIXING CUP.....\$ 0.60  
FBL65216PC 16 OZ. MIXING CUP.....\$ 0.70



## EVERCOAT MIXING CUPS

These cups are graduated to make measuring simple.

FBR617 PACKAGE OF 5 CUPS.....\$ 7.79 \*



EVERCOAT

## EVERCOAT COLORING AGENTS

One oz. tubes blend with polyester resins, gel paste, epoxy resins, Formula 27, Skid-No-More, and various putties.

FBR503 TROPICAL RED.....\$ 8.49  
FBR505 SUNSET YELLOW.....\$ 7.99  
FBR506 BROWN.....\$ 7.99  
FBR507 ADMIRAL BLUE.....\$ 8.49  
FBR508 BLACK.....\$ 7.99  
FBR509 WHITE.....\$ 7.99  
FBR510 DARK GREEN.....\$ 5.39 \*



EVERCOAT

EVERCOAT



## EVERCOAT SEA-GLASS CLOTH (PACKAGED)

The most popular sizes pre cut in handy, sealed display packages.

FBR911	44" X 1 YD.	(1.22 SQ. YDS.)	\$ 16.10
FBR912	44" X 3 YDS.	(3.67 SQ. YDS.)	\$ 38.45
FBR917	38" X 1 YD.	(1.05 SQ. YDS.)	\$ 14.10
FBR918	38" X 3 YDS.	(3.16 SQ. YDS.)	\$ 33.45

EVERCOAT



## EVERCOAT SEA-GLASS CLOTH (6 OZ. ROLLS)

Fiberglass cloth in bulk. For large construction work or for the dealer who cuts as needed.

FBR903	38" X 60 YDS.	\$ 465.00
FBR906	60" X 60 YDS.	\$ 695.00

EVERCOAT




## EVERCOAT SEA-GLASS TAPE (PACKAGED)

Fiberglass tape packaged in sealed plastic display packages.

FBR932	4" X 10 YDS.	\$ 24.45
--------	--------------	----------


EVERCOAT



## EVERCOAT SEA-GLASS TAPE (ROLLS)

Cloth woven tape in narrow widths with non raveling edge. Perfect for fiberglassing seams, chines, etc. and on corners and edges.

FBR920	2" X 50 YDS.	\$ 55.00 *
FBR922	4" X 50 YDS.	\$ 77.00 *
FBR923	6" X 50 YDS.	\$ 99.95 *



## FIBERLAY FIBERGLASS TAPE ROLL

6 OZ. 4" (50 YARD ROLL)

FBL154R2	6 OZ. 2" (50 YARD ROLL)	\$ 32.50
FBL154R4	6 OZ. 4" (50 YARD ROLL)	\$ 55.00


EVERCOAT



## EVERCOAT SEA-GLASS MAT (PACKAGED)

100% fiberglass in a non-woven state. For bulk "build-up" when repairing holes and badly damaged areas.


FBR940	1 SQ. YD.	\$ 16.30
FBR941	3 SQ. YDS.	\$ 35.95



## FIBERLAY CHOPPED STRAND MAT

1.5oz Fiberglass chopped strand mat.

FBL151P151	38" X 1 YARD	\$ 10.20
FBL151P153	38" X 3 YARDS	\$ 19.60



## FIBERLAY FIBERGLASS CLOTH

Fiberglass cloth 6oz.

FBL152P6381	6OZ. 38" X 1 YARDS	\$ 11.45
FBL152P6383	6OZ. 40" X 3 YARDS	\$ 25.45

## EVERCOAT SEA-GLASS WOVEN ROVING (PACKAGED)

Heavyweight fiberglass fabric. Very bulky for stronger repair where large build up is needed.

FBR946 50"W X 1 YD. ....\$ 33.95



EVERCOAT

## EVERCOAT FIBERGLASS MARINE FIBER TECH

This unique filler includes a combination of glass fiber and Kevlar® pulp, which improves density and strength while minimizing thermal contraction and expansion. Marine Fiber Tech™ also includes extra fine, long-strand fibers to provide structural strength and reparability of fractured fiberglass and SMC surfaces. This product also provides superior adhesion to steel, galvanized steel, aluminum and most rigid composites and plastics. Blue cream hardener included.

FBR590 1.7 LB. SQUEEZE TUBE .....\$ 32.00



EVERCOAT

## EVERCOAT FORMULA 27 PLASTIC FILLER

Water resistant, for permanent repairs of fiberglass, wood, metal, cement stucco, and dry wall. Extra white filler won't crack or pop out. Can be mixed with evercoat coloring agents to closely match many colors.

FBR572 1/2 PINT .....\$ 13.30  
 FBR571 PINT .....\$ 21.75  
 FBR570 QUART .....\$ 30.95



EVERCOAT

## EVERCOAT WHITE STAR

Flexible white plastic formula with creme hardener (included). Goes on smoothly, easily, and quickly.

FBR205 QUART .....\$ 22.45  
 FBR204 GALLON .....\$ 60.95



EVERCOAT

## ZSPAR POLYESTER PUTTY

ZSP5 3 LBS. ....\$ 32.35 \* J



## EVERCOAT KITTY HAIR

Fiberglass filler with long strand reinforcing fibers for fiberglass and sheet metal repair. Easy to mix and work. Has double the fillers of standard fillers. Water resistant. Hardener included.

FBR868 QUART .....\$ 30.95  
 FBR869 GALLON .....\$ 97.95



EVERCOAT

## EVERCOAT EVER-GLASS

Evercoat Everglass Short Strand Reinforced Filler, quart. Short strand, fiberglass reinforced body filler. High strength, high build and water proof which makes it excellent for repairing holes, rusted metal, body seams and shattered fiberglass. Contains ZNX-7 for superior adhesion and corrosion resistance to bare steel, galvanized steel and aluminum. Blue cream hardener is included.

FBR632 EVERGLASS QUART .....\$ 27.45  
 FBR622 EVERGLASS GALLON .....\$ 96.95



EVERCOAT



EVERCOAT

## EVERCOAT GEL COAT SCRATCH PATCH

Make easy repairs on hairline cracks, small scratches, and chips in gel coat without sanding or using catalyst. Clear Scratch Patch is ideal for surface scratch repairs of metal flake finish.

FBR5651	CLEAR .....	\$ 12.90
FBR5652	WHITE .....	\$ 12.90
FBR5653	BUFF WHITE .....	\$ 12.90



EVERCOAT

## EVERCOAT FIBERGLASS REPAIR KIT

For fast and easy repair of fiberglass, wood, and metal. Kit contains 48 sq. in. of fiberglass woven cloth, polyester gel paste, hardner, spread stick, and instructions.

FBR8050	2 OZ. KIT .....	\$ 19.95
---------	-----------------	----------



EVERCOAT

## EVERCOAT POLYESTER FIBERGLASS REPAIR KIT

All in one polyester repair kit for automotive, marine, and household repairs. Kit contains 1/2 pt. polyester resin with hardener, 3 sq. ft. of fiberglass cloth, spread stick, mixing tray, and instructions.

FBR637	1/2 PINT KIT .....	\$ 31.45
--------	--------------------	----------



EVERCOAT

## EVERCOAT MATCH N'PATCH GEL COAT REPAIR KIT

Complete set of materials for gel coat repairs of minor surface damage. Repairs scratches, gouges, and cracks. Mixes or matches to any desired color. Kit contains 4oz. gel paste with hardener, six 1/4 oz. tubes of all primary pigment colors, mixing cup, spread stick, cleaning solvent, special release film, and instructions.

FBR668	MATCH N'PATCH .....	\$ 47.45
--------	---------------------	----------



EVERCOAT

## EVERCOAT GEL COAT REPAIR KIT

Blends hundreds of color combinations and cures glass hard in one hour. A special release paper and no-run polyester gel makes a slick no-sand finish quick and easy.

FBR8000	GEL COAT REPAIR KIT .....	\$ 40.45
---------	---------------------------	----------



EVERCOAT

## EVERCOAT EPOXY GLUE

Marine formula sets to handling strength in 10 minutes. Bonds similar and dissimilar materials-wood, metal, glass and plastic. Easy to use applicator.

FBR8017	EPOXY GLUE 1 OZ. ....	\$ 11.15
---------	-----------------------	----------



## PERMATEX PERMAPOXY METAL EPOXY

When cured, can be drilled, sanded, threaded or filed. Resistant to fuels and solvents. Resists most liquids. Convenient 2-part dispensing syringe. Suggested Applications: Fills gaps and bonds trim; Use on casting cracks and holes, auto trim and ornaments.

PMX84109	4 MINUTE EPOXY .84 FL OZ. ....	\$ 4.89
----------	--------------------------------	---------

## EVERCOAT EVERFIX EPOXY STICKS

Soft epoxy stick handles like moulding clay, bonds like epoxy and hardens in 20-30 minutes. Contains no solvents, will not shrink or pull away. Repairs manifolds, outdrives, and trim tabs, exhaust lines, fuel and water tanks and lines, patches fish boxes, ice chests, battery cases, seals leaks, makes electrical connections, makes custom gaskets. Cures underwater. Can be painted, sanded, drilled, tapped, and filled.

FBR8015      1/4 LB .....\$ 13.35



EVERCOAT

## EVERCOAT EPOXY REPAIR KIT

Permanently repairs damaged fiberglass, wood, metal, aluminum and some plastics including ABS, PVC, Lexan and Cyclolex.

FBR8075      EPOXY REPAIR KIT .....\$ 28.95



EVERCOAT

## EVERCOAT ALUMINOX EPOXY

A high density epoxy/aluminum putty stick for permanent, fast repairs of aluminum boats and other aluminum parts. Also works well on fiberglass, wood, metal and ceramics. Mixes by hand like moulding clay. Permanently repairs holes, gouges, cuts and rivet leaks in aluminum. Hardens in 20-30 minutes. Can be painted, sanded, drilled, tapped, and filled.

FBR8020      1/4 LB .....\$ 14.85



EVERCOAT

## GORILLA GLUE

The original Gorilla Glue has always helped you get the job done right the first time. But now, you can build, create and repair four times as fast. That's right, now the original gets stronger, faster – it sets in just one to two hours, so you're done in a fraction of the time. Nothing else has changed. Gorilla Glue still bonds materials other adhesives simply can't – wood, stone, metal, ceramics, glass, foam and more. It's still 100% waterproof. And it's still the best glue for the serious woodworker, hobbyist or anyone who wants to do the job right and move on.

GOR50002      2 OZ BOTTLE .....\$ 5.99  
 GOR50004      4 OZ BOTTLE .....\$ 8.79  
 GOR50008      8 OZ BOTTLE .....\$ 15.79



## GORILLA GLUE QUIK-CURE PEN

Who wouldn't like a little more control? At least over quick fixes, on-the-go repairs and small projects, that is. Well here you go. The new Gorilla Glue Precision Glue Pen gives you accuracy and strength all in one amazingly convenient package. Put a drop or two of our new fast curing formula exactly where you want it. You won't believe how easy – and as usual, you won't believe how strong. Ideal for indoor and outdoor application on materials such as foam, glass, wood, stone, metal, ceramic and much more!

GOR52011      3/4 OZ GLUE PEN .....\$ 4.89



## GORILLA GLUE QUICK CURE

Incredibly strong. 100% Waterproof. For the toughest jobs on planet earth. Bonds: Foam, glass, wood, stone, metal, ceramics, & more!

**Build!** Furniture assembly, Masonry, stone & tile, Mill work, Cabinets, Countertops, Waterproof joints, Finish carpentry, Doors & windows, Plywood to concrete, Pressure treated lumber, Composite decks, Trim work, Fences, Steps and decks.  
**Repair!** Wobbly chair legs, Stone, rocks, and tile, Ceramic, Tool handles, Cabinets, Furniture repair, Countertops, Spindles, Loose joints, Door & window molding, Thresholds, Paver stones & bricks, Fences, Picnic tables, Picture frames, and Pottery. Stainable. Solvent free.

GOR52012      2 OZ. BOTTLE QUICK CURE .....\$ 5.99





## GORILLA GLUE "SUPER GLUE"

The only super glue tough enough to be called Gorilla. This new super glue has Impact-Tough™ Formula, which makes a bond that's impact-resistant. It sets in under a minute, with no clamping required. Projects dry fast and last long, standing up to drops, bumps and bangs. **IMPACT STRENGTH**— unique rubber particles increase impact-resistance and strength to handle everyday use after your repair or creation is set. **WON'T CLOG** – anti-clog tip with metal pin keeps nozzle clean. **EASY TO USE** – thick formula flows better for improved control. Dries in just 30-60 seconds, with no clamping. **WHATEVER THE SURFACE**— use on nearly anything, from wood to plastic, glass, metal, ceramics and a whole lot more!

GOR78050 TUBE SUPER GLUE 15GM.....\$ 4.89



## PERMATEX SUPER GLUE

No run formula for precise application, even on vertical surfaces. Works on both porous and nonporous materials. Metal, plastics, rubber, vinyl, paper, wood, textiles, and cork gaskets.

PMX82191 2 GRAM TUBE.....\$ 2.49



## GORILLA GLUE TAPE

The toughest glue on the planet is now a Tape! Bonds to things ordinary tapes can't: brick, stucco, wood and more. Double-thick adhesive, strong reinforcing backing and a tough all-weather shell combine for a tape so strong it'll leave you beating your chest with satisfaction. Hey, why settle for a "duck" when you have a gorilla? Measures 1 7/8" x 35 yds., weighs 1 1/2 lbs.

GOR60035 2" X 35 YDS.....\$ 11.99  
GOR61001 1" HANDY ROLL.....\$ 3.39



Starbrite

## STAR BRITE EPOXY ALUMINUM STICK

Makes permanent and emergency repairs on aluminum boats, outdrives, fuel and water tanks and other aluminum parts. Easy to use - just hand knead for 1 minute and apply to damaged area. Forms tenacious bonds in minutes - even under water. Special additives cut through oxidation and anodization to maximize adhesion. Can be sanded, drilled, tapped and filled.

STR87004 4 OZ STICK.....\$ 17.95



Starbrite

## STAR BRITE EPOXY PUTTY STICK

Makes permanent and emergency repairs on fiberglass, wood, metal and plastic. Easy to use - hand knead until color turns white and apply to damaged area. Forms tenacious bonds in minutes - even under water. Can be sanded, drilled, tapped and filled.

STR87104 4 OZ STICK.....\$ 17.95



## CRC MARINE MINUTE MEND™ EPOXY PUTTY

This two part epoxy permanently repairs scratches, gouges and holes. Bonds to wood, steel, fiberglass, glass, ceramics, plastics, concrete and aluminum. Also bonds to both wet and dry surfaces. It is ready to use in less than one minute.

CRC14070 4 OUNCE TUBE.....\$ 11.95

## EVERCOAT POLYESTER GEL PASTE

Neutral color polyester paste for permanent repair of gouges, scrapes, and scratches in fiberglass. Evercoat coloring agents provide correct color match. Hardener included.

FBR695 PINT . . . . . \$ 27.45



EVERCOAT

## EVERCOAT SKID NO MORE

Skid-No-More is a textured non-skid coating, formulated with acrylic latex and ground rubber. It is non-abrasive, pliable, and resilient to the touch. It can be applied to most common surfaces with a paint brush, thin napped roller, or squeegee. Available in basic gray but can be tinted to a desired color.

FBR854 QUART . . . . . \$ 24.95  
FBR853 GALLON . . . . . \$ 63.95



EVERCOAT

## EPOXY SPRAY GRIT

Spray Grit is a strong, durable epoxy paint containing synthetic grit that provides a unique, easy spray-on non-slip surface. Each can of Spray Grit covers up to 21 square feet of surface area. Applies to many surfaces including wood, metal, fiberglass, aluminum, and concrete. Use on decks, steps, boats, ladders, truck beds, anywhere a non-slip surface is desired.

SPG-BLACK BLACK . . . . . \$ 16.20  
SPG-CLEAR CLEAR . . . . . \$ 16.20



## EVERCOAT SEALANT FOAM

Sealant foam is a one component urethane foam that expands and moisture cures to a firm semi-rigid closed cell mass for caulking, sealing, filling, and insulating. 12 Oz. is equivalent to 24 tubes of caulk.

FBR654 12 OZ. . . . . \$ 18.10



EVERCOAT

## EVERCOAT MIXING STICKS

Available to make mixing simple. Disposable.

FBR628 PKG OF 15 STICKS . . . . . \$ 6.05 \*



EVERCOAT

## EVERCOAT SPREADER KITS

Set of three flexible, long lasting plastic spreaders in different sizes. For fast, smooth application of resins, body filler, or crack filler.

FBR381 3 SIZES CARDED . . . . . \$ 4.19



EVERCOAT

## STARBRITE SCREWDRIVER HELPER

Helps tighten screw and remove stripped screws. Increase torque applied to screw. Prevents screw head damage. Wipes off easily after use.

STR91701 1/2 FL-OZ. ON DISPLAY CARD . . . . . \$ 9.49




Starbrite

## STARBRITE CAULK-RITE

A great tool for applying a perfect bead of caulking. No mess, no waste, suitable for silicone, latex or acrylic caulk.

STR92501 CAULK-RITE . . . . . \$ 9.09



Starbrite

Starbrite



## STARBRITE CAULK-A-WAY

Remove caulking with ease, get caulk out of those hard to reach corners. No scratching, No chemicals, Reusable, and suitable for silicone, latex and acrylic. If you intend to do any caulking this is a tool that will make your life easier. It removes caulk which can take hours and is done fast and easy with this patented tool.

STR92401 CAULK-A-WAY .....\$ 9.09

BoatLIFE



## BOATLIFE MARINE SILICONE RUBBER SEALANT

An all purpose, non-corrosive, low-odor marine silicone sealant. Tack-free in 30 minutes or less. Fully cured in 24 hours. For above the waterline sealant application. Will not shrink, crack, dry out or yellow. Superior flexibility and adhesion to fiberglass, plastic, metal and wood. Retains hardness, flexibility and tensile strength even after years of exposure. Is non sandable or paintable.

BTL1140	2.8 OZ. CLEAR.....	\$ 8.89
BTL1141	2.8 OZ. WHITE.....	\$ 8.89
BTL1142	2.8 OZ. BLACK.....	\$ 8.89
BTL1150	10.6 OZ. CLEAR.....	\$ 16.99
BTL1151	10.6 OZ. WHITE.....	\$ 16.99
BTL1152	10.6 OZ. BLACK.....	\$ 16.99

BoatLIFE



## BOATLIFE SANDABLE SILICONE DECK SEALANT

An innovative alternative to two part products. This 24 hour curing system is sandable and especially suitable for teak deck seams. No priming necessary, just clean seams with acetone and apply. When fully cured, resistant to teak cleaners, teak oils, gasoline and diesel fuel. Tack free in 30 minutes. If painting is required, paint before sealant application.

BTL1252 10.6 OZ. BLACK.....\$ 20.79

BoatLIFE



## BOATLIFE LIFESEAL

A unique combination of marine silicone and polyurethane, formulated especially for fiberglass. Lifeseal offers a fast curing, low odor, high adhesion, non-sagging, non-corrosive, non-yellowing formula. It provides a durable, permanent, watertight seal for joints subject to structural movement. May be used above and below the water line. Use for sealing decks to hull, thru hull fittings, vinyl ports, sealing/glazing windshields and bedding marine hardware. Will adhere tenaciously to metal, glass, wood, lexan, ABS and other materials. Not recommended for ferro cement hulls, impregnated wood or oil soaked materials.

BTL1109	1 OZ. CLEAR.....	\$ 7.59
BTL1160	2.8 OZ. CLEAR.....	\$ 11.59
BTL1161	2.8 OZ. WHITE.....	\$ 11.59
BTL1162	2.8 OZ. BLACK.....	\$ 11.59
BTL1169	10.6 OZ. CLEAR.....	\$ 21.45
BTL1170	10.6 OZ. WHITE.....	\$ 21.45
BTL1171	10.6 OZ. BLACK.....	\$ 21.45
BTL1172	10.6 OZ. ALUMINUM.....	\$ 21.45

## BOATLIFE LIFECALK

A long lasting, permanently flexible marine polysulfide sealant which can be sanded, painted and used above and below the water line. Tack-free in 1 to 3 days. Lifecalk curing time is dependent on quantity applied, temperature and humidity. It offers excellent resistance to teak oils, gasoline and diesel fuel. Use to bed deck and hull hardware, seal thru hull fittings on wood and fiberglass boats, and to seal wooden boats and deck seams. Will bond to fiberglass, wood, metal, glass and itself. Cures to a firm flexible rubber seal with excellent waterproofing and adhesion qualities. Apply to clean surface for best results. Clean surface with acetone. Can be used underwater for emergency repairs. Do not use on lexan or ABS. Can be applied to damp surfaces.


BTL1030	2.8 OZ. WHITE	\$ 12.59
BTL1031	2.8 OZ. BLACK	\$ 12.59
BTL1032	2.8 OZ. MAHOGANY	\$ 12.59
BTL1037	2.8 OZ. TEAK BROWN	\$ 12.59
BTL1033	10.6 OZ. WHITE	\$ 22.95
BTL1034	10.6 OZ. BLACK	\$ 22.95
BTL1035	10.6 OZ. MAHOGANY	\$ 22.95
BTL1036	10.6 OZ. TEAK BROWN	\$ 22.95



## BOATLIFE LIQUID LIFE-CALK SEALANT

Same outstanding properties as Life-Calk Sealant above. Non-shrinking, flexible, sandable compound. Low viscosity, FREE-FLOWING polysulfide sealant for fine cracks and seams.

BTL1052	WHITE, TUBE	\$ 10.79
BTL1055	BLACK, TUBE	\$ 10.79



## BOATLIFE RELEASE

Ideal for removing cured silicone, polyurethane, and polysulfide. Removes tapes, labels, and decals from metal, fiberglass, and wood. Use while caulking for a perfect finish.

BTL1291	RELEASE 1 OZ. SPRAY	\$ 12.39
BTL1288	RELEASE 16 OZ. SPRAY	\$ 39.45



## BOATLIFE LIFE-CALK SOLVENT AND CLEANER

General Purpose solvent removes uncured polysulfide sealant and grease from tools and equipment. Ideal as a cleaner to prepare seams for caulking. Removes tape residue, cleans engine parts.

BTL1056	16-OZ.	\$ 19.59
---------	--------	----------



## SIKAFLEX 291

Marine polyurethane adhesive/sealant for bedding, sealing and adhesive applications above and below the waterline. Excellent bond to gelcoat, fiberglass, metal, glass and wood. Tack free in 30-45 minutes, full cure in 1 to 3 days.

SIK291W	10.5 OZ. WHITE POLYURETHANE	\$ 11.95
SIK291B	10.5 OZ. BLACK POLYURETHANE	\$ 11.95
SIK291G	10.5 OZ. GREY POLYURETHANE	\$ 11.95



## SIKAFLEX 291LOT

Nearly as strong as Sikaflex®-291 and slightly more flexible, Sikaflex®-291 LOT features a slower skin time to allow for longer working time. Perfect for general sealing all around the vessel, hull seams, thru hulls and bedding deck hardware and rub rails.

SIK291W-L0T	10.5 OZ WHITE POLYURETHANE	\$ 11.95
SIK291B-L0T	10.5 OZ BLACK POLYURETHANE	\$ 11.95





## PERMATEX MEDIUM STRENGTH THREADLOCKER BLUE

OEM specified. All-purpose, medium strength threadlocker. Ideal for all nut and bolt applications 1/4" to 1" (6mm to 25mm). Eliminates need for stocking expensive lock nuts and lock washers. Locks and seals while preventing parts loosening due to vibration. Protects threads from corrosion. Removable with hand tools for easy disassembly. Suggested Applications: Valve cover bolts, water pump bolts, oil pan bolts, drive shaft bolts, rocker arm adjustment nuts, carburetor studs.

PMX24200 6ML BOTTLE .....\$ 6.19



## PERMATEX HIGH STRENGTH THREADLOCKER RED

OEM specified. High strength threadlocker for heavy-duty applications 3/8 inch to 1 inch (10mm to 25mm). Especially well-suited for permanently locking studs and press fits. Adds 3,000 PSI holding power on slip and press fit assemblies. Replaces set screws and snap rings. Locks against vibration loosening. May require heat or special tools for removal. Suggested Applications: Cylinder block and rocker arm studs, ring gear bolts, frame bolts, shock absorber bolts.

PMX27100 6ML BOTTLE .....\$ 6.19



## PERMATEX STRIPPED THREAD REPAIR

Makes reliable thread repairs without drills, taps, tools or inserts. Restores worn, stripped or damaged threads and eliminates future corrosion, galling, seizing and rust. Effective up to 128 ft. lbs. of torque and between -65°F to 300°F (-54°C to 149°C). Repairs most metal-to-metal fasteners up to SAE grade 5 English and 8.8 metric (coarse and fine). Suggested Applications: Intake manifold bracket fastener threads, timing chain cover bolt threads, valve cover bolt threads, water pump bolt threads.

PMX81668 THREAD REPAIR KIT .....\$ 12.50



## PERMATEX HI-TEMP THREADLOCKER

Hi-temp/hi-strength threadlocker for heavy-duty applications. Prevents bolts 3/8 inch to 1 inch (10mm to 25mm) from loosening due to shock, severe vibration and heat stress. Exclusive formulation for high performance applications that require extreme temperature resistance. Suited for temperatures up to 450°F (232°C). Removable with heat and hand tools. Suggested Applications: Frame brackets, hydraulic press studs, shock absorber mounts, frame bolts.

PMX27250 HI TEMP THREADLOCKER .....\$ 41.75 \*



## PERMATEX #1 FORM-A-GASKET

Fast drying hard-setting sealant designed for sealing rigid materials and flanges or patching holes and joints where permanent assembly is desired. -65 to 400 degrees Fahrenheit temperature range. Resists common shop fluids and fuels. Use for freeze plugs threaded connections and manifold gaskets. Use on cork metal plastic gaskets pipes and flanges.

PMX80008 FORMA GASKET #1 .....\$ 4.69



## PERMATEX #2 FORM-A-GASKET

Reliable paste-like gasket sealant/dressing/coating. Form-A-Gasket #2 sets more slowly to a pliable film best suited for non-rigid, vibrating assemblies. Use to 400°F (204°C). Resistant to gasoline and other solvents. Conforms to MIL-S-45180 D.

PMX80016 FORM-A-GASKET #2 .....\$ 4.59

## PRO-SEAL 34

Immediate adhesion & seal, seals wet non-porous surfaces upon application. Optimum flexibility, stretches 350% and remains sealed. Use to seal portholes, hatches, thru hulls, seams, instrument panels, deck hardware, transoms and more.

PRS34B	10.2 OZ. BLACK .....	\$ 18.55
PRS34C	10.2 OZ. CLEAR .....	\$ 18.55
PRS34W	10.2 OZ. WHITE .....	\$ 18.55

## RULE LIQUID ELASTOMERIC PENETRATING SEALANT

Liquid version of Elastomeric clear sealant. Low viscosity sealant specially formulated for narrow joints where ordinary sealants cannot reach. Ideal for sealing windshields, portholes, hardware, hatches, vents, and fine deck and cabin seams. Same skinning, curing, adhesive, and performance characteristics as Elastomeric Sealant.

RUL350	CLEAR 3 OZ. ....	\$ 9.69 *
--------	------------------	-----------

## BOATLIFE CAULKING GUN

All welded construction for a reliable and tough gun.

BTL1083	CAULKING GUN .....	\$ 10.15 *
---------	--------------------	------------

## GAM CAULKING GUNS

Change from conventional flow to an instant STOP DRIP position.

GAM-CG00113	CAULKING GUN, STOP DRIP RATCHET .....	\$ 3.59
GAM-CG00119	CAULKING GUN, PARALLEL .....	\$ 6.29
GAM-CG00121	2-IN-1 CONVERTIBLE HEX ROD .....	\$ 8.39

## 3M MARINE 5200 ADHESIVE/SEALANT


This high performance polyurethane adhesive/sealant becomes tack free in 48 hours, completely cures in 5-7 days with no shrinkage. The seal is extremely strong and retains its strength above and below the water line. Stays flexible to allow for structural movement.

MMM06500	WHITE 5200 CART. ....	\$ 21.99
MMM06501	TAN 5200 CART. ....	\$ 22.59
MMM06502	MAHOGANY 5200 CART. ....	\$ 22.59
MMM05206	WHITE 5200 1 OZ. ....	\$ 8.29
MMM06504	BLACK 5200 CART. ....	\$ 21.99
MMM05203	WHITE 5200 3 OZ. ....	\$ 13.69
MMM05205	BLACK 5200 3 OZ. ....	\$ 13.69


## 3M MARINE 4000UV FAST CURE ADHESIVE/SEALANT

This high quality cosmetic sealant cures to form a firm, rubbery, water-tight seal. Superior UV resistance. Very low odor. Resistant to weathering, saltwater and stresses caused by joint movement. Remains flexible. Seals between mechanically fastened joints on wood, fiberglass, metal and most plastics above and below the waterline. Applications include sealing deck to hull joints, thru-hull fittings, window and door frames, deck hardware, transducers, transoms, navigation lights, hatches and porthole frames.

MMM05280	4000UV FC ADHESIVE/SEALANT 3OZ TUBE ...	\$ 12.69
MMM06580	4000UV FC ADHESIVE/SEALANT CART. ....	\$ 15.39



rule



3M



3M

3M



### 3M MARINE 5200 FAST CURE ADHESIVE/SEALANT

A faster curing version of 3M 5200. The high performance polyurethane becomes tack free in one hour and fully cures in approximately 24 hours.

MMM05220	WHITE FC 5200 3 OZ.....	\$ 15.79
MMM06520	WHITE FC 5200 CART.....	\$ 25.19

3M



### 3M MARINE GRADE MILDEW RESISTANT SILICONE

A mildew resistant non-sagging, moisture-curing silicone rubber sealant. Remains flexible with excellent resistance to the marine environment. Adheres to bare and painted metal, fiberglass, glass, non-oily woods and many plastics and abraded rubbers.

MMM08017	WHITE 3 OZ.....	\$ 11.99
MMM08019	CLEAR 3 OZ.....	\$ 11.99
MMM08027	WHITE CART.....	\$ 27.99
MMM08029	CLEAR CART.....	\$ 27.99

### STARBRITE SILICONE SEALANT

#1 selling marine sealant. 100% marine grade silicone, won't turn yellow. Remains flexible from -70oF to +480oF. Bonds to fiberglass, plastic, wood, glass and metal. Unaffected by sunlight, weathering, most chemicals and solvents. Will not shrink or sag. Can be removed easily. Excellent for deck hardware. Special marine formula can be used above and below the waterline. Dries tack free in less than one hour, cures completely in 24 hours.

STR82102	CLEAR 2.8 OZ TUBE.....	\$ 10.95
STR82121	WHITE 10.3 OZ CART.....	\$ 20.45
STR82122	CLEAR 10.3 OZ CART.....	\$ 20.45

### 3M MARINE 101 SEALANT

Provides a weatherproof watertight seal between mechanically fastened joints. 101 sealant is a one part polysulfide product ideal for sealing joints between similar and dissimilar surfaces above and below the waterline.

MMM06510	WHITE 101 CART.....	\$ 24.39 *
----------	---------------------	------------

### RULE MARINE SEALANT

One-part, fast skinning and fast curing, multi purpose marine grade sealant with superior strength, adhesion, elongation and life characteristics. Not recommended for wooden deck seams or use in areas subject to gasoline.

RUL301	CLEAR 10 OZ CARTRIDGE.....	\$ 17.25 *
RUL321	CLEAR 3 OZ TUBE.....	\$ 9.69 *

### 3M FAST TACK ADHESIVE

A light colored extremely fast drying, non-stain adhesive with long tack for attaching vinyl and other kinds of trim fabric, upholstery, floor mats, and carpeting.

MMM08031	5 OZ.....	\$ 10.89
----------	-----------	----------

### 3M MARINE 4200FC FAST CURE ADHESIVE/SEALANT

A one part general all purpose polyurethane that chemically reacts with moisture to deliver flexible bonds with good adhesion to wood, fiberglass, gelcoat, plastic, and metal. Paintable and sandable. For above and below the waterline.

MMM05260	WHITE 3 OZ.....	\$ 13.59
MMM06560	WHITE CART.....	\$ 21.79
MMM06564	BLACK CART.....	\$ 21.79

3M



3M



**3M WEATHERSTRIP ADHESIVE - BLACK**

For bonding trim fabrics (except vinyl), deck mats, rugs, etc. A good general cement. Has quick tack and will not bleed through fabric.

MMM08001 5 OZ. . . . . \$ 8.79



3M

**3M SPRAY TRIM ADHESIVE**

A transparent, extremely fast drying adhesive with long tack for attaching upholstery cloth, carpeting, and etc.

MMM08074 24 OZ. AEROSOL . . . . . \$ 17.49



3M

**3M LOW MIST SUPER 77 SPRAY ADHESIVE**

Formulated to reduce misting and VOC emissions.

MMM21210 24 OZ. AREOSOL . . . . . \$ 21.19



3M

**3M ADHESIVE GENERAL PURPOSE CLEANER**

A specially blended solvent that provides easy cleanup of most types of adhesives, and quickly removes waxes, grease, oil and tars. When properly used, it will not harm thoroughly dried paint, vinyl or fabrics.

MMM08987 20 OZ. AEROSOL CAN . . . . . \$ 13.99  
 MMM08984 QUART SIZE . . . . . \$ 19.69



3M

**TRAVACO MARINE-TEX EPOXY PUTTY**

The "Mighty Repair Kit" seals cracks and gouges in wood, aluminum, fiberglass, and steel. Repairs boat hulls, jet skis, sailboards, fuel tanks, weld seams, loose fasteners, engines, and other machinery. Marine-Tex can be drilled and tapped. Handles like putty, sands like wood, hardens like steel.

TRV-RM301K JR. GRAY . . . . . \$ 15.99  
 TRV-RM302K LB. GRAY . . . . . \$ 47.99  
 TRV-RM303K 1 QUART GRAY . . . . . \$ 114.59  
 TRV-RM305K JR. WHITE . . . . . \$ 15.99  
 TRV-RM306K 3/4 LB. WHITE . . . . . \$ 47.99  
 TRV-RM307K 1 QUART WHITE . . . . . \$ 114.59



ITW

**TRAVACO RAPID-SET MARINE TEX**

The fast cure Marine-Tex. Convenient repair paste, one-to-one mix, for emergency or permanent repairs. Bonds to wood, steel, aluminum, and fiberglass. Fills cracks and voids; repairs hardware and loose fasteners. Excellent for machinery and mechanical repairs. Cures in one hour at 72 deg. F. Can be drilled, tapped, and sanded. Gray color.

TRV-RM320K 2 OZ. . . . . \$ 10.25 \*



ITW

**PERMATEX PERMAPOXY 1 MINUTE GENERAL PURPOSE EPOXY**

Versatile, easy-to-use, general purpose epoxy adhesive is two-part adhesive and filler system that eliminates the need for welding or brazing. Sets in one minute, no clamping needed. Clear appearance. Fills gaps and will not shrink. Resistant to water and solvents. Temperature range -60°F to 180°F (-51°C to 82°C). Permanent strength up to 2500 PSI. Suggested Applications: Ideal for complex, multi-piece assemblies. Bonds rigid materials including, ceramic, chrome, fabric, fiberglass, glass, hard plastic, metal and rubber.

PMX84160 .84 FL. OZ. DUAL SYRINGE . . . . . \$ 5.09





## DUCKY PEEL-N-PATCH

Self adhesive repair patch. Repair any leak, hole or crack in minutes. UV light activated Fiberglass reinforced patch. Adheres to: Metal, Wood, Rubber, Plastic, and Fiberglass.

DUC-PNP 1 3" X 6" PATCH .....\$ 15.60

## 3M ACRYL MARINE PUTTY - WHITE

Designed for the boat repair market, this putty is recommended for filling scratches and other surface defects. Other advantages include easy sanding, fast drying, spreads easily, and has low shrinkage.

MMM05962 21 OZ. ....\$ 24.99

3M



## PETTIT FLEXPOXY HIGH-PERFORMANCE EPOXY

This highly thixotropic resin can be used in large and small repair jobs on fiberglass, wood, steel and aluminum hulls and topside sections. Applies easily in one coat; will not sag, run or shrink; never becomes brittle. Contains no fillers; pure epoxy resin system is water resistant at a layer of 2 mils or greater, making it ideal for blister jobs. Flexbond is a mixture of component A and component B. Cartridges are resealable using screw caps; there is no waste. Included in the complete package is a special application gun which measures exact proportions of both components. Can be tinted with all types of oil-based paint. Solvent free; Zero VOC's.

PET7076BP FLEXPOXY BUBBLE PACK .....\$ 22.75 \* J  
 PET7076C FLEXPOXY CARTRIDGE .....\$ 100.95 J  
 PET4033 DOSING PISTOL ONLY .....\$ 93.95 J



## 3M MARINE PREMIUM FILLER

A unique vinyl ester formulation designed for marine filling and fairing applications above and below the waterline. Resists water absorption into hulls, decks and other fiberglass parts. East to sand formula designed with 3M Scotch-Lite Glass Bubbles.

MMM46005 QUART .....\$ 53.49  
 MMM46006 GALLON .....\$ 157.99

3M



## 3M FINESSE-IT MARINE PASTE COMPOUND - WHITE

Designed specifically for aggressive compounding of gelcoated fiberglass surfaces. This product is also well suited for boat reconditioning of oxidized surfaces/finishes. Has a long working time, requiring less compound to be used per application.

MMM06039 WHITE GALLON .....\$ 53.99

3M



## INTERLUX SEAM COMPOUND

Designed to fill seams of wooden boat bottoms and can also be used to fill keel joints that flex. Tried and proven to remain durable and flexible after immersion, to absorb expansion and contraction of planks.

INT30Q SEAM COMPOUND BROWN QUART .....\$ 41.45 J

Interlux



## INTERLUX BOATYARD BEDDING COMPOUND

Designed for bedding down deck hardware. Its surface hardens to make it receptive to paint but it remains soft and pliable underneath to provide waterproofing and flexibility.

INT214Q BEDDING COMPOUND NAT QUART .....\$ 44.45 J

Interlux



## INTERLUX EPIGLASS EPOXY

Epiglass is a versatile epoxy resin system, designed for a wide variety of uses, such as sheathing, laminating, filling and fairing, and gluing, on boats of all types. In addition to the high strength and durability associated with epoxy resins, this unique and easy-to-use formula offers many special features: Solvent free and low odor. Low viscosity for ease of mixing and wet out. Fast hardener for short re-application/sanding time.



Interlux  
boatpaint.com

INT-HT9000KT      QUART .....\$ 63.75 J

## WOOLSEY DOLFINITE BEDDING COMPOUND

Dolfinite Marine Bedding Compounds are heavy bodied compounds for bedding keels, transoms, molding, shaftlog and deck hardware. The special waterproofing compounds are just right for bedding, batten, planking, glazing and caulking. Can be used on canvas, wood, fiberglass, metal and glass. Forms a waterproof, dustproof seal. Thin with Woolsey 433 if needed.



PET2005NP      NATURAL COLOR, PINT .....\$ 41.75 J  
 PET2005NQ      NATURAL COLOR, QUART .....\$ 56.00 J

## FIBERLAY FIBERFOAM A/B KIT

A two component liquid polyurethane system that produces a 2 lb. density closed cell foam when cured. 2 X qt. kit will yield approx. 2 cu ft, 2 X gallon kit will yield approx. 8 cu ft, 2 X pint kit will yield approx. one cu ft of rigid foam when poured at room temperature



FBL401P      PINT .....\$ 28.45  
 FBL401Q      QUART .....\$ 48.05  
 FBL401G      GALLON .....\$ 143.80

## TRAVACO GLUVIT WATERPROOF EPOXY SEALER

Seeks out, fills, and seals leaks in wood, steel, fiberglass, and aluminum. Flexes with hull movements. Seals leaky seams and rivets on aluminum vessels. Gluvit barrier coat minimizes fiberglass blistering. Durable, abrasion and impact resistant. Ends all your leaks with a few brush strokes.



ITW

TRV-RM330K      QUART KIT .....\$ 57.49  
 TRV-RM331K      GALLON KIT .....\$ 149.99

## TRAVACO FLEX SET

Flex-set is a nonsagging, nonshrinking, permanently flexible adhesive. Sandable, paintable and chemical resistant. This flexible adhesive resists vibration and bending failures.



ITW

TRV-RM321K      1 OZ TUBES .....\$ 21.19

## DAVIS "SLICK SEAM"

Slick Seam is an excellent underwater seam compound for wooden boats. Requires no mixing, stirring or priming. Made of wax, pure mineral products and silicate fibers, Slick Seam adheres well to most solid surfaces whether dry, wet or even oil stained. Applies easily and cleans up fast with mineral spirits. Cures ready for paint in 30 minutes. Stands up well to flexing and swelling wood. One jar is enough to caulk the seams on most boats to 20'.



DVS730      16 OZ. BOTTLE "SLICK SEAM" .....\$ 14.95



## ECLECTIC COAT - IT (KEVLAR REINFORCED) WATERPROOF EPOXY SEALER

Magic smooth graphite black with super thick coating up to 40 mils in one easy application. Work time 1/2 hour with cure time of only 11 hours at 70 deg F. Graphite enriched ceramic spheres for hardness and greater resistance to abrasion. Used for barrier coating: finds, fills, and seals hidden leaks in aluminum, steel, fiberglass, wood decks, hulls, tanks, troughs, and much more.

ECL5400040	2 LB. KIT QUART .....	\$ 26.59
ECL5400060	8 LB. KIT GALLON .....	\$ 75.59



## ECLECTIC SUPER WELD

This cold-welding epoxy paste is truly heat resistant. Great for auto body and other metal work. Bonds to metal, fiberglass, and most plastics. Fused with metal particles for added strength. Resists water, oil, grease, fuel, and stress. Withstands heat up to 250° F. Sets and dries completely in 2.5 hours.

ECL5350020	SUPER-WELD 2 OZ. KIT .....	\$ 6.79
ECL5350030	SUPER-WELD 4 OZ KIT .....	\$ 11.99



## ECLECTIC SUPERMEND

All purpose epoxy putty to repair everything even underwater. The most versatile "Rapid Epoxy Repair" kit available. Super strength that can be drilled, sanded, ground, tapped, or sawed. A two part, white, rapid epoxy adhesive epoxy with a 15 minute work time. Works on wet or dry surfaces. Shelf life virtually forever. Bonds permanently to metal, most plastics, wood, tile, concrete, etc. Impervious to gasoline, oil, brine, and alkaline cleaners. Easy 1 to 1 mix. Will not pop out. Superior adhesion. May be painted with most paints. No shrinkage - 100% solid. To change color - add Titan color additives

ECL5330030	4 OZ. KIT .....	\$ 9.99
ECL5330060	16 OZ. KIT .....	\$ 23.99



## ECLECTIC MARINE FIX FAST

When you've got an emergency on a boat, grab this fast-action epoxy paste. It even works under water! Bonds to fiberglass, wood, aluminum, metals. Resists water, grease, and continuous pounding. Withstands heat up to 190° F. Sets and dries completely in 20 minutes.

ECL5300020	2 OZ. KIT .....	\$ 5.79
ECL5300030	4 OZ. KIT .....	\$ 10.99



## ECLECTIC MARINE GOOP

U.V. Resistant, Repair vinyl seats, canopies and canvas covers. Seal around windows and portholes.

ECL170012	3.7 OZ MARINE GOOP .....	\$ 7.19
-----------	--------------------------	---------



## ECLECTIC INDUSTRIAL STRENGTH MULTI-PURPOSE ADHESIVE

UV Resistant/Self-Leveling Formula. Abrasion-Resistant, Flexible, Waterproof, Paintable UV-6800 is a clear adhesive formulated for use in applications that are exposed to ultra-violet light; has good adhesion to wood, metal and glass, rubber & plastic; maintains its flexibility in cold temperatures and will resist yellowing, cracking and embitterment.

ECL260011	UV6800 CLEAR 4OZ TUBE .....	\$ 8.49
ECL262011	UV6800 CLEAR CARTRIDGE .....	\$ 10.19

## BOATLIFE GIT-ROT

The original cure for dry rot. Penetrating adhesive-flexible sealant, restores strength of rotted wood. Git-Rot pours into the finest openings, penetrates deep and completely saturates rotted wood, arresting the progress of dry rot by encapsulating the fibers. It subsequently cures into a tough, resilient adhesive that bonds wood members together with mass stronger than the original wood. Ideal for wood encapsulated by fiberglass such as transoms, stringers, keels, etc.

<b>BTL1063</b>	<b>4 OZ. GIT ROT</b> .....	<b>\$ 20.19</b>
<b>BTL1064</b>	<b>PT. GIT ROT</b> .....	<b>\$ 45.95</b>
<b>BTL1065</b>	<b>QT. GIT ROT</b> .....	<b>\$ 77.95</b>



BoatLIFE

## TRAVACO PENETRATING EPOXY

High grade penetrating liquid helps restore structural integrity to damaged wood and fiberglass. Marine Tex Penetrating Epoxy is a two component , 2:1 ratio epoxy with very low solvent content (less than 5% solvent.) Easy to use, all-in-one kit, just mix up and squeeze or brush out. Saturates and reconditions wood and fiberglass surfaces, seals aluminum seams and rivets. Stops moisture penetration above and below the waterline. Seals hidden leaks and cracks in hulls, decks and bulkheads.

<b>TRV-RM370K</b>	<b>EPOXY 4 OZ KIT</b> .....	<b>\$ 20.50</b>
<b>TRV-RM371K</b>	<b>EPOXY 32 OZ KIT</b> .....	<b>\$ 51.95 *</b>



ITW

## EVERCOAT INFLATABLE BOAT REPAIR

Tough formulation bonding adhesive with cleaning solvent plus strips of heavy reinforcing fabric in kit assures long lasting repairs of fabric reinforced life rafts, dinghies, sport boats, and other inflatable craft. Preserves buoyancy and resists cuts, cracks and impact. Packaged in resealable plastic bag.

<b>FBR618</b>	<b>INFLATABLE BOAT REPAIR</b> .....	<b>\$ 37.95</b>
---------------	-------------------------------------	-----------------



## WEST SYSTEM

1. Start with 105 Resin, the basic ingredient of all west system epoxy compounds.
2. Mix with one of four west system hardeners. Select a hardener for its intended use and for the cure speed best suited for your job in the temperature range you are working.
3. Add one of six west system fillers to thicken the mixture as needed. Select a filler for its handling characteristics or cure physical properties; or, add one of six west system additives to provide specific coating proper ties.

## 105 EPOXY RESIN

105 Resin is the base material of the WEST SYSTEM family of products, on which all of the WEST SYSTEM compounds are built. The resin is a clear, pale yellow, low viscosity liquid epoxy resin. Formulated for use with WEST SYSTEM hardeners, it can be cured in a wide temperature range also for a high-strength solid with excellent moisture resistance. It is designed specifically to wet out and bond with wood fiber, fiberglass, reinforcing fabrics and a variety of metals. An excellent adhesive, 105 will bridge gaps and fill voids when modified with WEST SYSTEM fillers and can be sanded and shaped when cured. With roller applications, it has excellent thin-film characteristics to flow out and self-level without "fisheyeing." The resin cures clear so that you can achieve a natural finish when coating with varnish. It has a relatively high flash point and no strong solvent odor, making it safe to work with than polyesters. Resin viscosity is approximately 1000cps at 72° F(22C). For each container size of resin, there is a corresponding sized container of hardener and a corresponding mini pump size. When purchasing resin, hardener and mini pumps, be sure all containers are labeled with the same "group size" letter (A, B, or C).

<b>WST105A</b>	<b>QT EPOXY RESIN</b> .....	<b>\$ 35.65</b>	<b>H</b>
<b>WST105B</b>	<b>.98 GAL EPOXY RESIN</b> .....	<b>\$ 93.79</b>	<b>G</b>
<b>WST105C</b>	<b>4.35 GAL EPOXY RESIN</b> .....	<b>\$ 354.50</b>	<b>F</b>



## WEST SYSTEM GEN. PURP. 5:1 RATIO EPOXY HARDENERS 205 HARDENER



Medium-viscosity epoxy curing agent. Used in majority situations, at lower temperatures and produces a rapid cure that develops its physical properties quickly at room temperature. When mixed with 105 Resin in a 5:1 hardener ratio, the cured resin/hardener yields a rigid, high-strength, moisture-resistant solid with excellent bonding and coating properties. Not intended for clear coating.

Pot life at 72° F (22c)	9 to 12 minutes
Cure to a solid state	6 to 8 hours
Cure to maximum strength	1 to 4 days
Minimum recommended temperature	40° F (4 C)
Pumps required (5:1 ratio)	301, 306 or 309

WST205A	.44PT 5:1 EPOXY HARDENER	\$ 17.93	H
WST205B	.86QT 5:1 EPOXY HARDENER	\$ 39.05	G
WST205C	.94GL 5:1 EPOXY HARDENER	\$ 137.15	E

## 206 SLOW HARDENER



Low-viscosity epoxy curing agent for use when extended working and cure time is needed or to provide adequate working time at higher temperatures. When combined with 105 Resin in a 5:1 resin hardener ratio, the cured resin/hardener mixture yields a rigid, high-strength, moisture-resistant solid with excellent bonding and coating properties. Not intended for clear coating.

Pot life at 72° F (22C)	20 to 25 minutes
Cure to a solid state	9 to 12 hours
Cure to maximum strength	1 to 4 days
Minimum recommended temperature	60° F (16 C)
Pumps required (5:1 ratio)	301, 306 or 309

WST206A	.44PT 5:1 EPOXY SLOW HARDENER	\$ 17.93	H
WST206B	.86QT 5:1 EPOXY SLOW HARDENER	\$ 39.05	G
WST206C	.94GL 5:1 EPOXY SLOW HARDENER	\$ 137.15	E

## WEST SYSTEM SPEC. APP. 3:1 RATIO EPOXY HARDENERS 207 SPECIAL COATING HARDENER



Especially developed for use with WEST SYSTEM Brand 105 Resin in coating applications where an exceptionally clear, moisture-resistant, natural wood finish is desired. Cures to a light amber color, similar to traditional spar varnishes. An ultraviolet inhibiting additive improves the resistance of a WEST SYSTEM 105/207 mixture to sunlight, but the cured epoxy surface will still require the additional protection of a quality UV-FILTERING VARNISH. 207 is designed to self level for smooth finishes, and to wet-out and bond fabrics. Although it provides good physical properties for general bonding applications, it is more difficult to thicken and less cost effective for this purpose than 205 or 206 Hardeners. It's also used for laminating veneers where bleed through at joints may be exposed to sunlight.

Pot life at 72° F (22C)	22 to 27 minutes
Cure to a solid state	9 to 12 hours
Cure to maximum strength	4 to 7 days
Minimum recommended temperature	60° F (16C)
Pumps required (3:1 ratio)	303, 306-3 or 309-3

WST207SA	.66PT 3:1 SPECIAL HARDENER	\$ 36.70	H
WST207SB	.33GL 3:1 SPECIAL HARDENER	\$ 75.37	G

## 209 EXTRA SLOW HARDENER

209 Extra Slow Hardener is formulated for use with WEST SYSTEM Brand 105 Resin for general coating and bonding applications in extremely warm and/or humid conditions or when extended working time is desired at room temperature. Provides approximately twice the working time of 206 Slow Hardener. Forms a clear, amber-colored solid with good physical properties and moisture resistance for bonding and coating applications. Not intended for clear coating.

Pot life at 72°F (22C)	40 to 50 minutes
Pot life at 95° F (35C)	15 to 20 minutes
Cure to a solid state at 72F(22C)	20 to 24 hours
Cure to a solid state at 95F(35C)	6 to 8 hours
Cure to maximum strength at 72° F	4 to 9 days
Pumps required (3:1 ratio)	303, 306-3 or 309-3

WST209SA	.33PT 3:1 EXTRA SLOW HARDENER.....	\$ 31.67	H
WST209SB	.33GL 3:1 EXTRA SLOW HARDENER.....	\$ 66.99	G



## WEST SYSTEM MINI PUMP SET

Designed for convenient and accurate metering of all group size A, B and C WEST SYSTEM resin and hardeners. They mount directly on the resin and hardener containers and eliminate the mess involved with measuring by weight or volume.

WST300	MINI PUMP SET.....	\$ 13.42	H
--------	--------------------	----------	---



## WEST SYSTEM FILLERS

Filler selection chart

Filler application	Filler					
Preferred Characteristics	403	404	405	406	407	410
Bonding	4	3	2	4	1	0
Gap-filling/strength						
Bonding with Fillets	2	2	4	4	2	0
Smoothness/strength						
Bonding Hardware	3	4	2	3	0	0
Maximum Strength						
Wood Laminating	4	2	2	3	1	0
Economy/strength						
Fairing	0	0	0	0	3	4
Sandability/light weight						

## 403 MICROFIBERS

403 Microfibers, a fine fiber blend, is used as a thickening additive with resin/hardener to create a multi-purpose adhesive, especially for bonding wood. Epoxy thickened with microfibers has good gap-filling qualities while retaining excellent wetting/penetrating capabilities. Color: Off-white.

WST403-9	6 OZ MICROFIBER FILLER.....	\$ 9.97	
WST403-28	20 OZ MICROFIBER FILLER.....	\$ 22.48	H
WST403B	20 LB MICROFIBER FILLER.....	\$ 199.90	G



## 404 HIGH-DENSITY FILLER

404 High-Density filler is a thickening additive developed for maximum physical properties in hardware bonding where high-cyclic loads are anticipated. It can also be used for filleting and gap-filling where maximum strength is necessary. Color: Off-white

WST404-15	15.2 OZ HIGH-DENSITY FILLER.....	\$ 13.37	
WST404-45	43 OZ HIGH-DENSITY FILLER.....	\$ 30.97	H
WST404B	30LB HIGH-DENSITY FILLER.....	\$ 219.06	





## 405 FILLETING BLEND

This strong, wood-toned filler is good for use in glue joints and fillets on naturally-finished wood. It mixes easily with epoxy and lets you create fillets that are smooth and require little sanding. Its color is a consistent brown, so 405 can be used to modify the shade of other WEST SYSTEM fillers.

WST405                    8 OZ FILLETING FILLER BLEND.....\$ 14.71 H



## 406 COLLOIDAL SILICA

406 Colloidal Silica is a thickening additive used to control the viscosity of the epoxy and prevent epoxy runoff in vertical and overhead joints. 406 is a very strong filler that creates a smooth mixture, ideal for general bonding and filleting. It is also our most versatile filler. Often used in combination with other fillers, it can be used to improve the strength, abrasion resistance, and consistency of fairing compounds, resulting in a tougher, smoother surface. Color: Off-white.

WST406-2                1.9 OZ COLLOIDAL SILICA FILLER.....\$ 8.81  
 WST406-7                5.5 OZ COLLOIDAL SILICA FILLER.....\$ 21.88  
 WST406B                10LB COLLOIDAL SILICA FILLER.....\$ 224.90 G



## 407 LOW-DENSITY FILLER

407 Low-Density filler is a blended microballoon-based filler used to make fairing putties that are easy to sand or carve. Reasonably strong on a strength-to-weight basis. Cures to a dark red/brown color.

WST407-5                4 OZ LOW DENSITY-FILLER.....\$ 14.45  
 WST407-15              12 OZ LOW DENSITY-FILLER.....\$ 36.57 H  
 WST407B                14LB LOW DENSITY-FILLER.....\$ 389.91 G



## 410 MICROLIGHT™

410 Microlight™ is the ideal low-density filler for creating a light, easily-worked fairing compound especially suited for fairing large areas. Microlight mixes with greater ease than 407 Low-Density filler or microballoons and is approximately 30% easier to sand. It feathers to a fine edge and is also more economical for large fairing jobs. Not recommended under dark paint or other surfaces subject to high temperatures. Cures to a tan color.

WST410-2                2 OZ MICROLIGHT FILLER.....\$ 13.82  
 WST410-7                5 OZ MICROLIGHT FILLER.....\$ 28.79 H  
 WST410B                4LB MICROLIGHT FILLER.....\$ 259.97 G

## WEST SYSTEM ADDITIVES



## 420 ALUMINUM POWDER

420 Aluminum Powder provides limited protection from ultraviolet light in areas which will not be protected with other coatings. Can be used as a base for subsequent painting. 420 will increase the hardness and abrasion resistance of the coated surface and improve its moisture resistance. Cures to a metallic gray color. Add mixed resin/hardener at the rate of 5 to 10% by volume (approximately 6 oz. per B group).

WST420-6                6 OZ ALUMINUM POWDER ADDITIVE.....\$ 11.78



## 422 BARRIER COAT ADDITIVE

A proprietary blend designed to improve cured epoxy's moisture-exclusion effectiveness. 422 is used as a barrier coating additive to help prevent gelcoat blistering. 422 also increases the epoxy's abrasion resistance. Cures to a light gray color. Add to mixed resin/hardener at the rate of 15 to 20% by weight - 3 tablespoons per 8 fl. oz. epoxy (approximately 32 oz. per B group).

WST422-16              16 OZ BARRIER COAT ADDITIVE.....\$ 23.70

## 423 GRAPHITE POWDER

423 Graphite Powder is a fine black powder that can be mixed with WEST SYSTEM epoxy to produce a low-friction exterior coating with increased scuff resistance and durability. Epoxy/graphite is commonly used as a bearing surface, and as a coating on rudders and centerboards or on the bottoms of racing craft that are dry sailed. It does not provide antifouling qualities. The epoxy/graphite mixture can also be used in teak deck construction to simulate the look of traditional seams and to protect the epoxy from sunlight. Cures to a black color. Add to mixed resin/hardener at the rate of up to 10% by volume (approximately 5.7 oz. per B group).



WST423-6            6 OZ GRAPHITE POWDER ADDITIVE.....\$    9.11 H

## COLOR PIGMENTS

WEST SYSTEM pigments are epoxy-based pastes that can be used to tint the epoxy mixture to provide a base color for the final finish system. The colored surfaces also tend to highlight flaws and imperfections. Cured, pigmented epoxy surfaces are not a final finish surface, but require enamel or polyurethane paint systems to provide ultraviolet protection. Add to the mixed resin/hardener at a rate of approximately one teaspoon of pigment to 8 fl. oz. of epoxy (approximately 6 oz. of pigment per B group). More pigment will increase opacity and mixture viscosity.



WST501-6            6 OZ WHITE PIGMENT ADDITIVE.....\$    9.95 \*  
 WST501-8            ADDITIVE WHITE PIGMENT ¼ PINT.....\$    15.40  
 WST503-8            ADDITIVE GRAY PIGMENT ¼ PINT.....\$    15.62

## WEST SYSTEM SIX10 EPOXY ADHESIVE

Six10 Epoxy Adhesive - A 2-part epoxy in a tube that delivers point-and-shoot convenience. Measuring and working with epoxy resin and hardener just got easier. WEST SYSTEM® now offers the permanent, waterproof, gap-filling and gluing performance of their two-part epoxies in a convenient point-and-shoot package. This new Six10 Thickened Epoxy Adhesive meters the proper ratio of epoxy resin and hardener from a multi-chambered tube that fits in any standard caulking gun. The pre-thickened components travel through a static mixer where they are fully blended before being dispensed in a smooth, workable bead. A cartridge of Six10 holds 190 ml of resin and hardener, the equivalent of a linear epoxy bead more than 40' long when dispensed through the static mixer's 1/8" opening. The mixer's tip has stepped gradations, allowing the user to nip the end for a 3/16" or 1/4" thick bead.




WST610            CARTRIDGE OF SIX10.....\$    20.50 H  
 WST600-2            STATIC MIXERS 2 PK.....\$    3.47 G  
 WST600-12            STATIC MIXERS 12 PK.....\$    18.30 G

## WEST SYSTEM EPISIZE™ REINFORCING MATERIALS

### EPISIZE™ UNIDIRECTIONAL CARBON TAPES


Carbon fiber unidirectional reinforcing tapes are used to improve tensile strength and stiffness in one direction while adding minimum thickness and weight. Fiber bundles are held in place by a polyester fill thread for easy handling and wet out. 144k fibers per inch.




WST702-12            EPISIZE CARBON TAPE 1.5" X 12'.....\$    52.12  
 WST703-12            EPISIZE CARBON TAPE 3" X 12'.....\$    66.69

### 713 EPISIZE™ UNIDIRECTIONAL GLASS TAPE

11.1 oz. Used to add strength in one direction, but with less stiffness than carbon fiber. Easy to handle and wet out. Average tape thickness is 0.0125".



WST713-12            EPISIZE U/D TAPE 3" X 12'.....\$    33.60



## 727 EPISIZE™ BIAXIAL TAPE


15 oz. non-woven E glass fabric. Two layers, 45° x 45° fiber orientation are held together by a light stitching. Flat, non-crimped fibers yield reduced print-through and higher stiffness than woven fabrics. Ideal for repairs, tabbing and reinforcing.

WST727-10 EPISIZE BIAXIAL TAPE 4" X 10' .....\$ 13.37

## EPISIZE™ GLASS TAPE

Ideal for reinforcing chines, hull/deck corners and similar structural applications. When bonded with WEST SYSTEM epoxy, they provide additional tensile strength to resist hair-line crack development and abrasion.


WST729-10 GLASS TAPE 2" X 10' .....\$ 8.91  
 WST732-10 GLASS TAPE 4" X 10' .....\$ 13.87



## EPISIZE™ GLASS FABRICS

Fabrics are ideal for building composite laminates and repairing fiberglass structures. When wet-out, the 4 and 6 oz. fabrics become transparent, allowing a clear, natural wood finish. May be painted or varnished.

WST745-30 12 OZ GLASS FABRIC 30" X 30" .....\$ 17.83



## WEST SYSTEM RELEASE FABRIC

Economical Release Fabric is a tough, finely woven nylon fabric treated with a release agent. It is used to separate the absorber, breather and vacuum bag from the laminate in vacuum bagging operations. Excess epoxy bleeds through and is peeled from the cured laminate along with the Release Fabric. It's also used in hand lay-up applications to allow more squeegee pressure and protect the lay-up from contamination. Peels easily and leaves a smooth textured surface, ready for bonding or finishing. Not recommended for post-cure temperatures over 120°F (49°C). 60" wide x 2 yd., 10 yd. rolls. 60" x 9" sheet.

WST879-18 60" X 9" ROLL .....\$ 9.22




## WEST SYSTEM APPLICATION TOOLS

### 800 ROLLER COVERS

Thin polyurethane foam roller covers are ideal for epoxy, paint and varnish application. Can be cut into shorter widths to match the application area and cut into brushes for tipping off fresh coats of epoxy. Covers are 7" wide and sold in packages of two.


WST800-2 ROLLER COVER (2 PACK) .....\$ 5.08



### 801 ROLLER FRAME

Adjustable roller cover frame holds 7" full-width covers and covers cut down to as narrow as 2" wide. Ideal for narrow strips and tight areas as well as large areas.


WST801-HD ROLLER FRAME .....\$ 4.03



### 802 ROLLER PAN

Heavy duty, flexible plastic roller pan allows you to "Pop out" epoxy after it has cured so the pan can be reused. Eliminates the need for liners.

WST802 ROLLER PAN .....\$ 5.07 H



## 803 GLUE BRUSHES

Handy, disposable, 1/2" x 6" glue application brushes with a metal handle. These brushes are useful in a wide variety of small bonding and coating applications.

WST803-12	GLUE BRUSHES (12 PACK) .....	\$ 4.93
WST803-144	GLUE BRUSHES 1/2" 144 PACK.....	\$ 34.09 H



## WEST SYSTEM MIXING STICKS

A practical mixing, application, filleting, and cleaning tool. Squared, beveled end reaches mixing pot corners for thorough mixing and blending in fillers and for cleaning up excess epoxy. Use rounded end to shape 3/8" radius fillets. Cured epoxy pops off easily, so they can be reused many times. 3/4"-wide x 5-1/2".

WST804-8	MIXING STICKS, REUSABLE 8 PACK.....	\$ 2.52
WST804-60	MIXING STICKS, REUSABLE 60 PACK.....	\$ 12.93 H

## POLY MIXING POTS

Cured epoxy easily pops out of these strong, reusable plastic mixing pots.

WST805	16 OZ MIXING POT .....	\$ 0.72
WST806	32 OZ MIXING POT .....	\$ 0.98



## 807 SYRINGES

Reusable syringes that can be loaded with epoxy mixture for injecting into tight spots. Ideal for hardware bonding and plywood repairs. Holds about 0.5 fl. oz.


WST807-2	SYRINGES (2 PACK) .....	\$ 4.02
WST807-12	SYRINGES (12 PACK) .....	\$ 17.20 H



## 808 PLASTIC SQUEEGEES

Flexible, double-edged, reusable spreader for flow coating, fairing and filling applications, and applying fabrics. 3.5" x 6"


WST808-2	PLASTIC SQUEEGEE (2 PACK) .....	\$ 4.03
WST808-12	PLASTIC SQUEEGEE (12 PACK) .....	\$ 21.42 H



## 809 NOTCHED SPREADER

4" x 4" plastic spreader with 1/8", 3/16" and 1/4" notches on three sides for quickly applying modified epoxy at a constant rate. Useful when laminating large panels.


WST809	NOTCHED SPREADER .....	\$ 0.88
--------	------------------------	---------



## 810 FILLABLE CAULKING TUBES

For use with a standard caulking gun. Great for injecting large amounts of epoxy, laying a lengthy bead of epoxy or making fillets. Suitable for refilling until epoxy cures. Holds approximately 10 fl. oz.

WST810-2	CAULKING TUBES (2 PACK) .....	\$ 3.20 G
----------	-------------------------------	-----------





## WEST SYSTEM SKIN PROTECTION & TOOL CLEANERS

### 830 MEDICATED SKIN CREAM

Medicated skin cream to soothe minor skin irritations and help prevent dermatitis. 5 oz. tube

WST830 MEDICATED SKIN CREAM .....\$ 9.19



### 831 PROTECTIVE SKIN CREAM

A protective barrier cream to help protect skin from irritants. Use with protective gloves. 5 oz. tube.

WST831 PROTECTIVE SKIN CREAM .....\$ 8.64



### 855 TOOL CLEANING SOLUTION

A safe, biodegradable cleaning solution concentrate for uncured epoxy resin and hardener. 855 Cleaning solution is safer than chemical solvents because it has very low vapor levels and cleans with an emulsifyin action that does not dissolve organic matter. Not recommended for use on skin. Dilute 1:1 with water.

WST855-16 16 OZ TOOL CLEANING SOLUTION .....\$ 6.60 \*  
 WST855-64 4 OZ TOOL CLEANING SOLUTION .....\$ 17.65 \* H



### 860 ALUMINUM ETCH KIT

A two-part treatment for preparation of aluminum surfaces for bonding with epoxy. Our research shows adhesion to aluminum is significantly improved with this process. Also improves paint adhesion.

WST860-8 2 1/4 PT (TREATS 50 SQ.FT.) .....\$ 16.54



### 832 DISPOSABLE GLOVES

Lightweight, seamless nitrile gloves are more chemically resistant than latex gloves. They provide excellent protection while retaining good finger sensitivity and dexterity and they are more puncture resistant than conventional disposable gloves.

WST832-4 DISPOSABLE GLOVES (4 PACK) .....\$ 5.18



### BUFFALO DISPOSABLE COVERALLS

3-Layer SMS Coveralls. Contractor-Grade Paint & Particulate Barrier. Contractor-grade, three-layer SMS offers an ideal combination of breathability and protection from paint and particulates. SMS material guards against liquids, sprays, powders, fiberglass and sanding dust. Zip-front, elastic wrists, ankles and waist.

BUF68520 XXX-LARGE .....\$ 7.19  
 BUF68523 XX-LARGE .....\$ 7.09  
 BUF68526 X-LARGE .....\$ 6.99  
 BUF68525 LARGE .....\$ 6.99

## 836 COVERALL

Made of Tyvek™ spun-bonded Olefintm, these suits are inexpensive enough to be disposable, yet durable enough to be reused again and again.

WST836M	MEDIUM COVERALL . . . . .	\$ 13.54	H
WST836L	LARGE COVERALL . . . . .	\$ 13.54	H
WST836XL	X-LARGE COVERALL . . . . .	\$ 13.54	H

## 838 SLEEVES

If you need to cover only your arms, try these convenient sleeves. Made of Tyvek, 18" sleeves with elastic top and cuff.

WST838-2	SLEEVES (2 PACK) . . . . .	\$ 5.93	G
----------	----------------------------	---------	---



## WEST SYSTEM ADHESIVES & REPAIR PACKS

### 101 HANDY REPAIR PACK

Here is everything you need to complete small repairs around the boat, shop or home. The Handy Repair Pack contains two WEST SYSTEM 105 Resin/205 Hardener packets, and enough high density filler to complete a variety of coating and bonding operations. Also included are an application brush, mixing stick, pipe cleaner, two cleaning pads and complete instructions.

WST101	HANDY REPAIR PACK . . . . .	\$ 12.80
--------	-----------------------------	----------



### 101-T RESIN/HARDNER PACKETS

Six resin/hardener packets only. Each pre-measured packet contains 16g of 105 Resin and 3.2g of 205 Hardener (19.2g or 0.56 fl. oz. of mixed epoxy).

WST101-T	RESIN & HARDENER PACKETS (6 PACK) . . . . .	\$ 20.50
----------	---	----------

### 101-6 MAXI REPAIR PACK

The Maxi Repair Pack contains six 105 Resin/205 Hardener packets, a low-density filler for fairing and a high-density filler for bonding. Also included are two application brushes, one syringe, two pipe cleaners, four mixing sticks, one pair of disposable gloves, four cleaning pads, mixing cups and instructions.

WST101-6	MAXI REPAIR PACK . . . . .	\$ 32.27
----------	----------------------------	----------



### G/5 FIVE-MINUTE ADHESIVE

An easy to use, 2-part resin/hardener system for quick repairs, tooling and general bonding. May be used in spot applications to hold parts in position while standard epoxy bonds cure. Bonds to wood, fiberglass and metal. Not recommended for long-term bonds subject to high loads or moisture. One-to-one mixture, no pumps are required. Cures in 3-5 minutes.

WST865-4	ADHESIVE 1/4 PINT RESIN & HARDENER . . . . .	\$ 18.57	
WST865-16	ADHESIVE 1 PINT RESIN & HARDENER . . . . .	\$ 51.35	H



## WEST SYSTEM G-FLEX EPOXY

G/flex Thickened Epoxy Adhesive Resin and Hardener has a thickening agent, and is a toughened, versatile epoxy for permanent waterproof bonding of fiberglass, ceramics, metals, plastics, damp and difficult-to-bond woods. G/flex epoxy is resilient enough to bond dissimilar materials and flexible enough to absorb the stress of expansion, contraction, shock and vibration.

**650-8**=Two 4 oz. bottles of liquid epoxy (one 4 oz. resin and one 4 oz. hardener) in a plastic bag.

**650-K**=Clamshell kit containing two 4 oz. bottles of liquid epoxy (one 4 oz. resin and one 4 oz. hardener), 2 mixing sticks, 2 syringes, 4 mixing cups, 406 Colloidal Silica, 1 pair gloves and 4 alcohol pads.

**655-K**= Clamshell kit containing two 4.5 oz. aluminum tubes of thickened epoxy adhesive (one 4.5 oz. resin and one 4.5 oz. hardener), 2 mixing sticks, 10 mixing palettes, 1 pair gloves and 4 alcohol pads.



WST650-8	EPOXY .....	\$ 18.57	H
WST650-K	EPOXY .....	\$ 24.10	H
WST655-K	EPOXY .....	\$ 27.60	H

## WEST SYSTEM INSTRUCTIONAL PUBLICATIONS

### 002-550 FIBERGLASS BOAT REPAIR & MAINTENANCE

A complete, illustrated guide to a variety of fiberglass repair problems. Includes detailed instructions on repairing delamination, keel damage and gelcoat blisters. Also covers fairing keels, hardware bonding, finishing and installing teak veneers. Softcover, 76 pages.

WST002-550	FIBERGLASS BOAT REP. & MAINT.....	\$ 5.17
------------	-----------------------------------	---------

### 002-650 GELCOAT BLISTERS: DIAGNOSIS, REPAIR & PREVENTION

This manual provides a thorough explanation of osmotic blistering, along with detailed, illustrated instructions on effective laminate drying techniques, repairing localized and severe interlaminar blister damage, techniques for applying an effective epoxy barrier coat and more. Softcover, 52 pages.

WST002-650	GELCOAT BLISTERS: DIAG., REPAIR.....	\$ 5.17
------------	--------------------------------------	---------

### 002-970 WOODEN BOAT RESTORATION & REPAIR




This manual shows you how to do professional level repairs and renovations that dramatically extend the life of your wooden boat. Dry rot repairs, structural frame repairs, and plank repairs using modern products and techniques are among the many solutions covered in this fully illustrated manual. Softcover, 80 pages.

WST002-970	WOODEN BOAT RESTORATION & REPAIR.....	\$ 5.17
------------	---------------------------------------	---------

### WEST SYSTEM FINAL FAIRING & FINISHING PUBLICATION

This guide takes you through the final steps of the building or repair process in detail. Includes techniques for fairing and barrier coating, as well as information on the characteristics and types of finishing coatings. Soft cover, 28 pages

WST002-740	FINAL FAIRING & FINISH PUBLICATION....	\$ 5.17
------------	--	---------



## WEST SYSTEM VIDEOS

### 002-892 BASIC APPLICATION TECHNIQUES

A guide to optimum use of WEST SYSTEM Brand Epoxy products. Includes safety procedures and application tips for coating, bonding and fairing situations on wood and composite materials. VHS, 20 minutes.

WST002-892 BASIC APPLICATION TECHNIQUES.....\$ 21.90 F

### 002-894 FIBERGLASS REPAIR WITH WEST SYSTEM BRAND EPOXY

A guide to structural repairs on fiberglass boats using WEST SYSTEM Epoxy, including repairs to cored and non-cored hulls. Demonstrates how to successfully apply gelcoat over epoxy repairs. VHS, 26 minutes.

WST002-894 FIBERGLASS REP. WITH WEST SYSTEM.....\$ 29.45 F

### 002-896 GELCOAT BLISTER REPAIR WITH WEST SYSTEM BRAND EPOXY

A guide for repairing and preventing gelcoat blisters on fiberglass boats with WEST SYSTEM Epoxy. Includes an analysis of the factors contributing to blister formation and steps for preparation, drying, repairing and coating for moisture protection. VHS, 16 minutes.

WST002-896 GELCOAT BLISTER REPAIR WITH EPOXY.....\$ 27.25 F

### WEST SYSTEM USER MANUAL & PRODUCT GUIDE

This manual is designed to help you become familiar with WEST SYSTEM products and use them effectively. It provides information about safety, handling and the basic techniques. It will allow you to tailor West System products to your exact repair and construction needs. Includes Problem Solver section and Product Guide.

WST002-950 USER MANUAL & PRODUCT GUIDE.....\$ FREE



